HOMI BHABHA CENTRE FOR SCIENCE EDUCATION

Tata Institute of Fundamental Research

National Centre of the Government of India for Nuclear Science and Mathematics (Deemed to be University)

 $V.\ N.\ Purav\ Marg,\ Mankhurd,\ Mumbai-400\ 088.$

Telephone: 22-6310 2300/2305/2555
E-mail: <u>purchase@hbcse.tifr.res.in</u>
Website: www.hbcse.tifr.res.in



NIT cum Tender Document for

CIVIL MODIFICATION INCLUDING BUYBACK FOR NEW MEDICAL CENTRE AT HOMI BHABHA CENTRE FOR SCIENCE EDUCATION, TIFR, MANKHURD, MUMBAI – 400088

Date: November 24, 2025 (TENDER NO: HBC/PUR/PUBLIC TENDER 32/2025-26)

INDEX

Section No.	Particulars	Page No.
1	Notice Inviting Tender	3
2	Pre-qualification Criteria	4
3	Instructions to Bidders	5-7
4	General Rules & Directions	8-9
5	Conditions of Contract	10
6	General Clauses of Contract	11-17
7	Special Clauses of Contract	18-20
8	Scope of Work / Bills of Quantity	21-25
9	List of Approved makes/ Manufacturers of Building Materials	26-27
10	Annexure I – X	28-37
11	Annexure-XI: Financial Bid	38-44

SECTION 1: NOTICE INVITING TENDER

Ref: HBC/PUR/PUBLIC TENDER 32/2025-26

Civil Modification Including Buyback for New Medical Centre at Homi Bhabha Centre for Science Education - TIFR, Mankhurd, Mumbai – 400088.

Estimated Cost = Rs.15,25,331/- (Incl. GST)

Date: November 24, 2025

Earnest Money Deposit (EMD): Rs.30,507/-

(Rupees Thirty Thousand Five Hundred Seven only) by way of Demand Draft in favour of "HBCSE" payable at Mumbai. Alternatively, this amount can be remitted by bank transfer. The details are as follows: HBCSE-TIFR Non Plan A/C, Account No.:1038019943 Bank Address: Central Bank of India Jigna Apartment, Sion-Trombay Road, Mankhurd, Mumbai – 400 088 IFSC Code: CBIN 0282523.

Tender documents can be downloaded from HBCSE website: www.hbcse.tifr.res.in/tenders or https://eprocure.gov.in/epublish/app

Tender should reach us before or on: December 15, 2025 by 02.30 PM (BID DUE DATE)

Tender (Technical bid only) will be opened on: **December 15, 2025** at 03.30 PM.

Tender (Financial bid only) will be opened on – The date and time of opening of Financial bids will be conveyed to the Technically suitable bidders through Telephone and mail.

Contract Period: Sixty (60) days after the date of issue of Work Order/LOI/PO.

Bids under TWO Bid System (Technical + Financial Bid) are invited on behalf of Centre Director, HBCSE Mumbai for award of contract for 'Civil Modification Including Buyback for New Medical Centre Building at Homi Bhabha Centre for Science Education - TIFR, Mankhurd, Mumbai – 400088'. The details of the tender including the scope of work, technical specification, drawings (if applicable) etc. is given in this tender document. All the prospective bidders are requested to go through the tender document before submitting their bids.

Quotation sent by hand delivery/courier are to be deposited in the Tender Box kept at the Main Gate after obtaining stamp, date and signature of the Security Officer.

To assess the nature of job, bidder must visit the HBCSE site before bidding. Bidder may seek prior appointment for site visit. The contact person is Shri. Prasad C. Mhatre (Tel No. 022 63102306 Email: prasad@hbcse.tifr.res.in).

Tenders to be sent to:

Head, Administrative Operations

Homi Bhabha Centre for Science Education

V. N. Purav Marg, Near Anushakti Nagar Bus Depot, Mumbai – 400 088.

Bids sent by Fax/email shall be rejected straightway. The Centre reserves the right to accept/reject the proposal either in part or in full without assigning any reasons.

Head Administrative Operations

Sd/-

For and on behalf of Centre Director, HBCSE

SECTION 2: PRE-QUALIFICATION/ELIGIBILITY CRITERIA

Bidders are required to comply with the following eligibility criteria.

- **a.** Registration /empanelment /worked in past with Government organizations like CPWD, MES, Railways, State PWDs etc. /Semi Government organizations, PSUs etc. / reputed private organizations in appropriate class and having experience in execution of similar nature of works.
- b. The contractor should have zonal office in Mumbai/ Navi Mumbai/ Thane and nearby areas.
- c. Annual turnover as per ITCC or profit & loss statement for the last 3 years. Average annual turnover for the last 3 financial years should be at least Rs.15,25,331/- not having incurred any loss in more than 2 years during last 5 years ending 31st March, 2025.
- **d.** Experience of having successfully completed the following works (during last **Five** years ending 31st March, 2025):
- i. One similar order not less than Rs.12,20,265/-; Or
- ii. Two similar works completed costing not less than Rs.9,15,199 /- each; Or
- iii. Three similar work completed costing not less than Rs.6,10,132 /- each
 - Similar works shall mean external civil repairing, structural repairing, external painting and other misc. external civil works etc. of BOQ mentioned magnitude of quantities of work. The quality & satisfactory performance of the submitted work will be verified by HBCSE technical team if required by inspecting the said work.

• Notes:

- 1. The above (Pre-qualification criteria) should be supported by relevant documentary evidence like copies of work orders and completion certificates issued by clients indicating the detailed scope of work covering the above aspects, value of work, completion/commissioning dates etc., in support of meeting all the qualification criteria given as above.
- 2. Relaxation may be provided from the above-mentioned pre-qualification criteria (point 'c' & 'd') for the firms registered under MSME / NSIC.
- 3. The certificates submitted as evidence of works executed for private organization should be accompanied with TDS certificates. These certificates in addition to the certificates issued by the organization shall form the basis for considering experience of work executed for private organization.
- **4.** The offers of the Bidders not meeting the pre-qualifying requirements and not producing supportive documents are likely to be rejected.
- **5.** HBCSE reserves the right to verify the documents/ information submitted or inspect the installation done. The Bidder shall provide necessary facilities for this purpose.
- 6. Even though the Bidders meet the above qualifying criteria, they are subject to be disqualified if found that, they have made misleading or false representations in the forms, statements and attachments submitted in proof of qualification requirements; and/or record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, in case of blacklisting by any PSU/Govt. body, or financial failures, hiding any information related to ongoing works or any disciplinary action taken etc. happened in last 3 years. The decision of the Technical Scrutiny Committee in this regard will be final and binding to all contractors.

SECTION 3: INSTRUCTIONS TO BIDDERS

A) General Instructions:

- 1. The Prospective bidder shall carefully examine and understand the specifications/conditions of the tender document/RFP and seek clarifications in writing if required, to ensure that they have understood all specifications/conditions of tender. These clarifications should be sought before submission of bids. If no such clarifications are sought in writing, it will be taken that the Bidder has read, understood and accepted all the terms, conditions and specifications in the tender document.
- 2. The Bidder is required to submit a copy of this tender document, with all pages signed by the authorized person, to confirm that Bidder has read and understood the conditions of this tender document and that the proposal is submitted in full understanding and agreement of the requirements of HBCSE.
- 3. The Bidder shall bear all costs associated with the preparation and submission of the Bid, and HBCSE will in no case be responsible for those costs, regardless of the conduct or outcome of the bidding process.
- **4.** HBCSE reserves its rights to amend any of the terms and conditions of the tender document. All such changes can be made up to one week before the last date of submission of bid. The notice of such amendment will be published on HBCSE website only. No separate advertisement will be issued in the newspapers for such changes/Corrigendum. All the prospective bidders are therefore requested to regularly visit HBCSE website for any such updates.
- 5. The complete bid will be as per the specified formats only. The bids should be without alteration or erasures, except those to accord with instructions issued by the HBCSE or as necessary to correct errors made by the bidder, in which case such corrections shall be initialed by the person or persons signing the bid.
- **6.** The bidder shall submit only one option, which is best suitable to meet HBCSE requirements. The bids submitted with more options shall be liable to be rejected.
- 7. The Bid prepared by the Bidder, as well as all correspondence and documents relating to the Bid exchanged by the Bidder and HBCSE, shall be in English only.
- 8. Wherever a specific form is prescribed in the Bid document, the Bidder shall use the form to provide relevant information. If the form does not provide space for any required information, space at the end of the form or additional sheets shall be used to convey the said information. For all other cases, the Bidder shall design a form to hold the required information.
- 9. The Bidder shall explicitly indicate the non-compliance or deviation of the Solution offered in the Proposal to all the terms, clauses, conditions and specifications stipulated in this document. If non-compliance or deviation for any term, clause, condition or specification is not explicitly indicated, it will beconstrued as compliance and if successful in the bid, the bidder is obligated to comply with all the requirements (excluding those non compliances explicitly accepted by HBCSE in writing).
- 10. Successful bidder shall perform all the obligations specified in accordance with the terms and conditionslaid down in the tender document. All details provided by the Bidder should be specific to the requirements specified in this tender document. Detailed clarification may be provided by Bidder, if so desired by HBCSE. The Bidder shall specify the responsibilities of HBCSE, if any, separately for the successful implementation of the project.
- 11. Bidder/Contractor should accept the instructions, guidelines, & clauses reinforced by HBCSE and conveyed to the vendor from time to time at any point of contract period.

12. Bidder shall ensure that all documents are submitted with the Technical bid. The bid should contain the following documents:

- i. Copy of PAN (Permanent Account Number) card.
- ii. GST Registration Certificate.
- iii. Valid Registration Certificate no. of the Contractor/ firm/ company
- iv. MSME Certificate.
- v. Earnest Money Deposit/ Bid Security Declaration as per "Annexure VIII"

- vi. All the annexures filled with accurate information along with the respective supporting documents to verify the information filled such as experience testimonials along with work orders and completion certificates.
- vii. Audited Balance Sheet and Income tax return of last three FYs i.e. 2022-23, 2023-24 and 2024-25.
- B) Earnest Money Deposit (EMD): An earnest money for Rs. 30,507/- (i.e. 2% of the total estimated cost) has to be deposited in the form of Demand Draft, Fixed Deposit Receipt, Banker's cheque or through online transfer through bank (Bank details to be provided on demand) in favour of 'Homi Bhabha Centre for Science Education' Mumbai' and send along with the Technical Bid (Part 'A'). After online transfer of earnest money, the vendor should intimate us by email or proof of online transfer of EMD should be part of tender. The firms registered under MSMEs can be exempted from submission of EMD as per rule 170 of GFR 2017, provided they must submit a 'Bid Securing Declaration' in prescribed form as per 'Annexure VIII'

EMD shall be interest free and it will be refunded to the unsuccessful bidders within 15 days after acceptance of Work Order by the awarded bidder without any interest. EMD will be forfeited if the bidder withdraws or amend impairs or derogates from the tender in any respect. Kindly submit your bank details along with the tender like Cancelled Cheque/NEFT/Bank A/C details for ease in repayment of EMD.

C) Performance Guarantee: The tenderer, whose tender is accepted, will be required to furnish a performance Guarantee of 5% of the WO value within 7 (seven) working days from the date of intimation. This Guarantee shall be in the form Demand Draft / Pay Order / Banker's cheque issued by a Scheduled Bank in favour of 'Homi Bhabha Centre for Science Education'.

The performance guarantee shall be returned to the contractor, without any interest, after recording of the completion certificate for the work by the competent authority and submission of final bill by the contractor as per the joint measurement within 60 days.

The Engineer-in-charge shall make a claim under the Performance guarantee for amounts to which the Centre Director, HBCSE entitled under the contract (notwithstanding and / or without prejudice to any other provisions in the contract agreement) in the event of: Failure by the contractor to pay Centre Director, HBCSE any amount due, either as agreed by the contractor or determined under any of the Clauses / Conditions of the agreement, within 30 days of the service of notice to this effect by Engineer-in- charge. In the event of the contract being determined under provisions of any of the relevant clauses of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the Centre Director, HBCSE. For Successful tenderer the EMD shall be returned to the contractor, without any interest, after receiving of Performance Guarantee and for unsuccessful tenderers EMD will be refunded after placing the order on successful tenderer.

- D) Security Deposit: The tenderer, whose tender is accepted, will also be required to furnish by way of Security Deposit for fulfillment of his contract, an amount equal to 2.5% of the value of the work. The successful tenderer shall permit HBCSE at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 2.5% of the gross amount of each running bill. The Security Deposit shall be released after the Defect Liability Period reckoned from the date of completion as certified by Engineer.
- E) Defect Liability period: Twelve (12) months from the satisfactory completion of entire tendered work.
- F) In case Bidder finds discrepancies or omissions from the specifications or other documents or has any doubt as to their meaning, he/she shall at once request in writing to the Head, Administrative Operations (HBCSE) who will issue interpretation and clarifications as he/she may consider necessary in writing as an addendum. Copies of such addenda, if issued, shall be signed by the Bidder and shall form a part of his bid. Verbal clarifications given shall not be binding on HBCSE.
- G) HBCSE reserves the right to split up the work in the scope of this contract among more than one contractor at the stage of initial Award of contract. HBCSE will not entertain any claim from any contractor because of such splitting up. HBCSE also reserves the right to exclude/ include any items of work from/ into scope of the contract during the progress of work due to any reason whatsoever.
- H) Acceptance of Tender: The competent authority, on behalf of Centre Director, HBCSE, Mumbai, does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all the tenders received, without assignment of any reason. All tenders, in which any of the prescribed condition is not fulfilled or any condition, including that of conditional rebates is put forth by the tenderer, shall be summarily rejected. The Competent Authority, on behalf of HBCSE, Mumbai reserves to himself the rightof accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rates quoted. The officer inviting tenders shall have the right of rejecting all or any of the tenders and will not be bound to accept the lowest tender or any other tender.

- I) Validity of Tender: The tender for the work shall remain open for acceptance for a period of 180 days from the last date of submission of tenders. If any tenderer withdraws his/her tender before the said period, or before issue of Letter of Intent, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the HBCSE, TIFR, Mumbai, the tenderer shall not be allowed to participate in the retendering process of the work.
- J) Levy / Taxes payable by contractor:
- a. GST @18% on materials and services in respect of this contract shall be payable by the contractor.
- **b.** The contractor shall deposit royalty and obtain necessary permit as required for supply of the sand, Aggregate, Stone etc. from local authorities. No matters in this regard will be entertained by HBCSE.
- **K) Deduction of Income Tax:** Income Tax will be deducted as per Section 194-C of Income Tax Act 1961 and a certificate for the amount sorecovered will be issued by the HBCSE Centre.
- L) Site visit by the bidder before tendering: Bidders are advised to inspect and examine the site and its surroundings during working hours and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. The Bidder shall be deemed to have full knowledge of the site whether he/she inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed.
- M) Tenderer's responsibilities: The tenderer shall be responsible for arranging and maintaining at his/her own cost all materials, tools & plants, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he/she has read this notice & all other contract documents and has made himself aware of the scope & specifications of the work to be done and local conditions and factors having a bearing on the execution of the work. Water and electricity shall be provided for the work by HBCSE-TIFR free of charge.
- N) Notification of amendments to the tender document: If the technical specification requires any modification, suitable amendment to this tender document will be issued and the same will form part of the tender document. Prospective bidders are advised to regularly visit the HBCSE web site or the CPP portal. Corrigendum/ amendments etc., if any, will be notified only on the HBCSE web site/CPP portal and no separate advertisement will be made for this
- O) Signing of contract: The Notice Inviting Tender shall form a part of the contract document. The successful tenderer/contractor, on acceptance of his/her tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work, sign the contract consisting of: The Notice Inviting Tender, all the documents including all conditions, specifications and drawings, if any, forms the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto. No payment for the work done will be made unless contract is signed by the contractor.
- **P)** Canvassing: Canvassing either directly or indirectly, in connection with the tenders is strictly prohibited and the tenderssubmitted by the contractors who resort to canvassing will be liable to rejection and may be barred from the future participation in HBCSE- TIFR works.
- Q) Contract Period: Sixty (60) days after the date of issue of Work Order.
- **R)** The terms 'Municipal Corporation', 'Electricity Boards' etc. indicated in this tender shall also represent the 'Local statutory authority'/ 'State Govt.'/ 'Union Territory' etc., for works at different station.

SECTION 4: GENERAL RULES AND DIRECTIONS

- 1. **NIT & its contents:** All works proposed for execution by contractor will be notified in a form of invitation to tender pasted in public places and signed by the officer inviting tender or by publication in Newspapers as the case may be. This form will state the work to be carried out, as well as the date for submitting and opening tenders and the time allowed for carrying out the work, also the amount of earnest money to be deposited, and the amount of the security deposit and Performance guarantee to be deposited by the successful tenderer and the percentage, if any, to be deducted from the bills. Copies of the specifications, designs and drawings, schedule of quantities of the various descriptions of work and any other documents required in connection with the work signed for the purpose of identifications by the officer inviting tender shall also be open for inspection by the contractor at the office of officer inviting tender during office hours.
- 2. **Signing of Tender and receipts for payments:** In the event of the tender being submitted by a firm, it must be signed separately by each partner thereof or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-of-attorney authorising him to do so, such power of attorney to be produced with the tender, and it must disclose that the firm is duly registered under the Indian Partnership Act 1952. Receipts for payments made on account of work, when executed by a firm, must also be signed by all the partners, except where contractors are described in their tender as a firm, in which case the receipts must be signed in the name of the firm by one of the partners, or by some other person having due authority to give effectual receipts for the firm.
- 3. **Filling-up of tender:** Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other condition of any sort, including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tenders shall have the name and number of the works to which they refer, written on the envelopes. It will be obligatory on the part of the tenderer to sign all the pages of tender documents affixing his/her stamp. All rates shall be quoted on the proper form of the tender alone. All corrections shall be attested by the dated initials of the tenderer. Use of correcting fluid, anywhere in tender document is not permitted. Such tender is liable for rejection. If it is found that the tender is not submitted in proper manner or contains too much corrections and/or absurd rates or amount, it would be open for the Government to take suitable disciplinary action against the Contractor. Bids prepared by the tenderer shall contain all requisite information along with self-attested supporting documents as per details in Technical Bid–Part I

The Tender is consisting of two parts: PART I- TECHNICAL BID & PART II- FINANCIAL BID

The bigger envelope must be super scribed Tender for Civil Modification Including Buyback for New Medical Centre at Homi Bhabha Centre for Science Education - TIFR, Mankhurd, Mumbai – 400088.

The two envelopes inside the bigger envelope & must be super scribed as:

- i. Outer Envelope: Name of the Work, Tenderer's name & address with signature & seal
- ii. Envelope No-1: The said envelope must be super scribed 'Technical Bid'& shall contain annexure and relevant technical documents.
- iii. Envelope No-2: The said envelope must be super scribed 'Financial Bid'& shall contain BOQ only.

The tender must be placed in a properly sealed bigger envelope addressed to the 'Head Administrative Operations, Homi Bhabha Centre for Science Education, V. N. Purav Marg, Mankhurd, Mumbai – 400088' and the said bigger envelope shall contain two sealed envelopes containing Technical & Financial bids.

4. **Opening of tenders:** The officer inviting tender or his/her duly authorised assistant will open the Technical bids first. In selecting technically suitable parties, the decision of HBCSE Scrutiny Committee will be final and binding to all the contractors. Financial bids of only those tenderers who qualify in the technical bid will be opened. Intimation will be sent to through email/telephone/letter those tenderers who qualify in the technical bid. No correspondence in this regard will be entertained. Further the Financial bids may be opened in the presence of any intending tenderers who may be present at the time, and will enter the amount of the several tenders in a Comparative Statement in a suitable form.

The firms whose bids meet all the technical & financial conditions will be deemed eligible for being awarded an AMC contract. A Committee will shortlist the eligible bidders and determines the L1 bid. Any Financial bid which is considered highly unreasonable will be discarded and such bids will be considered deficient and rejected as ineligible. All the eligible bidders who are willing to provide AMC service for all categories of works at the final

rate, as determined above, will be empaneled to provide AMC services to HBCSE.

- 5. **Declaration by tenderer:** The tenderers shall sign a declaration under the Official Secret Act-1923 for maintaining secrecy of the tender documents, drawings or other records connected with the work given to them. The unsuccessful tenderers shall return all the drawings given to them.
- 6. **Guidelines for quoting the rates:** All rates shall be quoted on the prescribed tender form. The amount for each item should be worked out and requisite totals given. Special care should be taken to write the rates in figures as well as in words, and the amount in figures only, in such a way that interpolation is not possible. The total amount should be written both in figures and in word. In case of figures, the words "Rs." should be written before the figures of rupees and word "P" after the decimal figures, e.g. "Rs. 2.15 P". and in case of words, the word, "Rupees" should precede and the word "Paise" should be written at the end. Unless the rate is in whole rupees followed by the word 'only' it should invariably be upto two decimal places. While quoting the rate in schedule of quantities, the word 'only' should be written closely following the amount and it should not be written in the next line.
- 7. Quoted rates to include all taxes (except GST): Sales tax, VAT, Purchase tax or any other tax on materials in respect of this contract, including state Sales tax and Turnover tax on transfer of property as per Works Contract Act etc. if any, shall be payable by the contractor and Government will not entertain any claim whatsoever in respect of the same. As per the directives of the Sales Tax Authorities, the tax due at the rates notified by the State Government from time to time, shall be deducted from the bills payable to the Contractors, for which TDS certificate shall be issued by the Centre.
- 8. **Filling-up of Financial Bid:** Unless otherwise called for, any tender containing percentage below / above the estimated cost put to tender is liable to be rejected. All rates shall be quoted on the tender form by the tenderers in figures and words shall be accurately filled in, so that there is no discrepancy in the rates written in figures and in words. The amount for each item should be worked out and requisite totals should be given. However,
 - i) The rate(s) must be quoted in decimal coinage. Amounts must be quoted in full rupees by ignoring fifty paise and considering more than fifty paise as rupee one.
 - ii) If, in the price structure quoted in the financial bid, there is a discrepancy between the rates and total price (which is obtained by multiplying the rates by the quantity), the rates shall prevail, and the total price shall be corrected accordingly;
 - iii) If there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail, and the total shall be corrected.
 - iv) If there is a discrepancy between words and figures, the amount in words shall prevail.
 - v) In event no unit price has been quoted for any item(s), leaving space both in figure(s), word(s), and amount blank, it will be presumed that the contractor has included the cost of this / these item(s) in other items and unit price for such item(s) will be considered as zero.

If such a discrepancy is found, the same will be conveyed to the bidder and the bidder will be asked to respond by a target date. If the bidder does not agree to the Centre's observation, the bid is liable to be rejected.

- 9. Action in case of un realistic rates: In the case of any tender where unit rate of any item (s) appear unrealistic, such tender will be considered as unbalanced and in case the tenderer is unable to provide satisfactory explanation, such a tender is liable to be disqualified and rejected.
- 10. Witnessing of a tender: The tender for the work shall not be witnessed by a contractor or contractors, who himself/herself / themselves has / have tendered or who may and has / have tendered for the same work. Failure to observe this condition would render, tenders of the contractors tendering, as well as witnessing the tender, liable to summary rejection.
- 11. **List of works in hand:** The contractor shall submit list of works which are in hand / in progress in the form as per Annexure IV. Any misleading information will be subject to rejection of the bid.

SECTION 5: CONDITIONS OF CONTRACT

A. DEFINITIONS:

- 1. The 'Contract/ Agreement' means the documents forming the tender and acceptance thereof and the formal agreement executed between the Competent authority on behalf of the Centre Director, HBCSE and the Contractor together with the documents referred to therein including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Engineer-in-charge and all these documents taken together, shall be deemed to form one contract and shall be complementary to one another.
- 2. In the contract the following expression shall, unless the context otherwise requires, have the meanings as-
- i) The expression 'Works' or 'Work' shall, unless there be something either in the subject or context repugnant to such work, be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent and whether original, altered, substituted or additional.
- ii) The 'Site' shall mean the land or other places on, into or through which work is to be executed under the contract or any adjacent land, path or street through which work is to be executed under the contract or any adjacent land, path or street which may be allotted or used for the purpose of carrying out the contract.
- iii) The 'Contractor/ Bidder/ Vendor' shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personnel representative of such individual or the persons composing such firm or company or the successors of such firm or company and the permitted assignees of such individual, firm or company.
- iv) The 'Engineer-in-Charge' means the Engineer / Officer, who shall supervise and be in charge of the work
- v) 'Centre/ Institute/ Department/ Owner' shall mean the HBCSE-TIFR.
- vi) 'Temporary Work' means all temporary works of every kind required in or about the execution, completion and maintenance of the works.
- vii) 'Accepting authority' shall mean the Head, Administrative Operations, HBCSE-TIFR.
- viii) Excepted Risk are risks due to riots (other than those on account of contractor's employees), war (whether declared or not) invasion, act of foreign enemies, hostilities, civil war, rebellion revolution, insurrection, military or usurped power, any acts of Government, damages from aircraft, acts of God, such as earthquake, lightening and unprecedented floods, and other causes over which the contractor has no control and accepted as such by the Accepting Authority or causes solely due to use or occupation by Government of the part of the works in respect of which a certificate of completion has been issued or a cause solely due to Government's faulty design of works.
- ix) **Market Rate** shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where the work is to be executed plus the percentage to cover, all overheads and profits.
- x) **Tendered value** means the value of the entire work as stipulated in the letter of award.
- xi) Site Cleaning/ Debris Removal/ Disposal means cleaning of complete site with no dust left over and disposal of complete debris/ waste/ non usable material out of the campus premises as per the guidelines of the Municipal authorities and their approvals.
- **B.** Works to be Carried out: The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the 0066ull and entire execution and completion of the works. The descriptions given in the Schedule of Quantities shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognised principles.
- C. Sufficiency of Tender: The Contractor shall be deemed to have satisfied himself/herself before tendering as to the correctness and sufficiency of his/her tender for the works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the works.
- **a.** If there are varying or conflicting provisions made in any one document forming part of the contract, the Accepting Authority shall be the deciding authority with regard to the intention of the document and his decision shall be final and binding on the contractor.
- **b.** Any error in description, quantity or rate in Schedule of Quantities or any omission therefrom shall not vitiate the contract or release the Contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contract. the works.

SECTION 6: GENERAL CLAUSES OF CONTRACT

- 1. **Determination of contract:** Subject to other provisions contained in this clause, the Engineer-in-Charge may, without prejudice to his/her any other right or remedy against the contractor in respect of any delay, inferior workmanship, any claim for damages and /or any other provisions of this contract or otherwise, and whether the date for completion has or has not elapsed, by notice in writing absolutely determine the contract in any of the following cases:
- i. If the contractor having been given by the Engineer-in-Charge a notice in writing to rectify, reconstructor replace any defective work or that the work is being performed in an inefficient or otherwise improper or unworkman-like manner shall omit to comply with the requirements of such notice for a period of 7 days thereafter.
- ii. If the contractor has, without reasonable cause, suspended the progress of the work or has failed to proceed with the work with due diligence so that in the opinion of the Engineer-in-Charge (which shallbe final and binding) he/she will be unable to secure completion of the work by the date for completion and continue to do so after a notice in writing of 7 days from the Engineer-in-Charge.
- iii. If the contractor fails to complete the work within the stipulated date or items of work with individual date of completion, if any stipulated, on or before such date(s) of completion and does not complete them within the period specified in a notice given in writing in that behalf by the Engineer-in-Charge.
- iv. If the contractor persistently neglects to carry out his/her obligations under the contract and / or commits default in complying with any of the terms and conditions of the contract and does not remedy it or take effective steps to remedy it within 7 days after a notice in writing is given to him/her in that behalf bythe Engineer-in- Charge.
- v. If the contractor shall offer or give or agree to give to any person in HBCSE- TIFR or to any other person on his behalf any gift or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other contract for HBCSE-TIFR.
- vi. If the contractor shall obtain a contract elsewhere as a result of wrong tendering or other non-bonafide methods of competitive tendering.
- vii. If the contractor assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer, sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Engineer-in-Charge. When the contractor has made himself/herself liable for action under any of the cases aforesaid, the Engineer-in- Charge on behalf of the Centre Director, HBCSE shall have powers:
 - **a.** To determine the contract as aforesaid (of which termination notice in writing to the contractor under the hand of the Engineer-in-Charge shall be conclusive evidence) upon such determination, the Security Deposit already recovered and Performance Guarantee under the contract, shall be liable to be forfeited, and shall be absolutely at the disposal of HBCSE-TIFR.
 - **b.** After giving notice to the contractor to measure up the work of the contractor and to take such whole, or the balance or part thereof, as shall be unexecuted out of his/her hands and to give it to another contractor to complete the work. The contractor, whose contract is determined as above, shall not be allowed to participate in the tendering process for the balance work.
- viii. In the event of above courses being adopted by the Engineer-in-Charge, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagements or made any advances on account or with a view to the execution of the work or the performance of the contract. And in case action is taken under any of the provisions aforesaid, the contractor shall not be entitled to recover or be paid any sum for any work thereof or actually performed under this contract unless and until the Engineer-in-Charge has certified in writing the performance of such work and the value payable in respect thereof and he/she shall only be entitled to be paid the value so certified.
 - 2. Contractor liable to pay compensation even if contract is not determined: In any case in which any of the powers conferred upon the Engineer-in-Charge under the contract, shall have become exercisable and the same are not exercised, the non-exercise thereof shall not constitute a waiver of any of the conditions hereof and such powers shall notwithstanding be exercisable in the event of any future case of default by the contractor and the liability of the contractor for compensation shall remain unaffected. In the event of the Engineer-in-Charge putting in force all or any of the powers vested in him under the preceding clause he may, if he so desires after giving a notice in writing to the contractor, take possession of (or at the sole discretion of the Engineer-in-Charge which shall be final and binding on the contractor), use as on hire (the amount of the hire money being also in the final determination of the

Engineer-in-Charge) all or any tools, plant, materials and stores, in or upon the works, or the site thereof, belonging to the contractor, or procured by the contractor and intended to be used for the execution of the work / or any part thereof, paying or allowing for the same in account at the contract rates, or, in the case of these not being applicable, at current market rates to be certified by the Engineer-in-Charge, whose certificate thereof shall be final and binding on the contractor, his/her representative of the works, foreman or other authorized agent to remove such tools, plant, materials, or stores from the premises (within a time to be specified in such notice); in the event of the contractor failing to comply with any such requisition, the Engineer-in-Charge may remove them at the contractor's expense or sell them by auction or private sale on account of the contractor and at his risk in all respects and the certificate of the Engineer-in-Charge as to the expenses of any such removal and the amount of the proceeds and expenses of any such sale shall be final and conclusive against the contractor.

3. Time Extension for delay: The time allowed for execution of the works as stipulated in the contract or the extended time in accordance with these conditions shall be the essence of the Contract. The execution of the works shall commence from such time period as mentioned in contract. If the Contractor commits default in commencing the execution of the work as aforesaid, HBCSE-TIFR shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the performance guarantee absolutely. As soon as possible after the Contract is signed, the Contractor shall submit a Time and Progress Chart for each mile stone and get it approved by the Centre. The Chart shall be prepared in direct relation to the time stated in the Contract documents for completion of items of the works. It shall indicate the forecast of the dates of commencement and completion of various trades of sections of the work and maybe amended as necessary by agreement between the Engineer-in-Charge and the Contractor within the limitations of time imposed in the Contract documents, and further to ensure good progress during the execution of the work, the contractor shall in all cases in which the time allowed for any work, exceeds one month (save for special jobs for which a separate program has been agreed upon) to complete the work as per the mile stones given.

If the work(s) be delayed by:

- 1. Force majeure, or
- 2. Abnormally bad weather, or
- 3. Serious loss or damage by fire, or
- **4.** Civil commotion, local commotion of workmen, strike or lockout, affecting any of the tradesemployed on the work, or
- 5. Delay on the part of other contractors or tradesmen engaged by Engineer-in-Charge in executing work not forming part of the Contract, or
- **6.** Non-availability of stores, which are the responsibility of HBCSE-TIFR to supplier.
- 7. Non-availability or break down of tools and plant to be supplied or supplied by HBCSE- TIFR or
- 8. Any other cause which, in the absolute discretion of the Engineer-in-Charge is beyond the Contractor's control, then upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the Engineer-in-Charge but shall nevertheless use constantly his best endeavors to prevent or make good the delay and shall do all that may be reasonably required to the satisfaction of the Engineer-in-Charge to proceed with the works.

The Engineer-In-Charge after receiving request in writing from the vendor, shall examine and study the delay of project and thoroughly evaluate the time required for completion of the project. Accordingly, an amendment order for time extension will be issued.

4. Measurements and Payments of work done:

a) All measurements and levels shall be taken jointly by the Engineer- in- Charge or his authorized representative and by the contractor or his authorized representative from time to time during the progress of the work and such measurements shall be signed and dated by the Engineer- in- Charge and the contractor or their representatives in token of their acceptance. If the contractor or his authorized representative does not remain present at the time of such measurements after the contractor or his authorized representative has been given a notice in writing three (3) days in advance or fails to countersign or to record objection within a week from the date of the measurement, then such measurements recorded in his absence by the Engineer-in-Charge or his representative shall be deemed to be accepted by the Contractor.

The contractor shall, without extra charge, provide all assistance with every appliance, labour and other things necessary for measurements and recording levels. In the case of items which are not covered by specifications, measurements shall be taken in accordance with the relevant standard method of measurement issued by the Bureau of Indian Standards and if for any item no such standard is available, then a mutually agreed method shall be followed. The contractor shall give, not less than 7 days' notice to the Engineer-in-Charge or his authorized representative in-charge of the work, before covering up or otherwise placing beyond the reach of

measurement any work in order that the same may be measured and correct dimensions thereof be taken before the same is covered up or placed beyond the reach of measurement and shall not cover up and place beyond reach of measurement any work without consent in writing of the Engineer-in-Charge or his authorized representative in-charge of the work who shall within the aforesaid period of seven days inspect the work, and if any work shall be covered up or placed beyond the reach of measurements without such notice having been given or the Engineer-in-Charge's consent being obtained in writing, the same shall be uncovered at the Contractor's expense, or in default thereof no payment or allowance shall be made for such work or the materials with which the same was executed.

It is also a term of this contract that recording of measurements of any item of work in the measurement book and/or its payment in the interim, on account or final bill shall not be considered as conclusive evidence as to the sufficiency of any work or material to which it relates nor shall it relieve the contractor from liabilities from any over measurement or defects noticed till completion of the defects liability period.

- b) Payments: The payment will be released within 10-15 working days after the submission of the Running Account/ Final bills post corrections if any received from Engineer-In-Charge.
- 5. Completion Certificate: Within ten days of the completion of the work, the contractor shall give notice of such completion to the Engineer-in- Charge and within fifteen days of the receipt of such notice, the Engineer-in-Charge shall inspect the work, and if there is no defect in the work, shall furnish the contractor with a certificate of completion, otherwise a provisional certificate of physical completion indicating defects (a) to be rectified by the contractor and / or (b) for which payment will be made at reduced rates, shall be issued. But no final certificate of completion shall be issued, nor shall the work be considered to be complete until the contractor shall have removed from the premises on which the work shall be executed, all scaffolding, surplus materials, rubbish and all huts and sanitary arrangements, required for his/their work people on the site in connection with the execution of the works as shall have been erected or constructed by the contractor(s) and cleaned off the dirt from all wood work, doors, windows, walls, floors or other parts the building, in, upon, or about which the work is to be executed or of which he may have had possession for the purpose of the execution thereof, and not until the work shall have been measured by the Engineer-in-Charge. If the contractor shall fail to comply with the requirements of this clause before the date fixed for the completion of the work, the Engineer-in-Charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish, etc., and dispose off the same as he thinks fit and clean off such dirt as aforesaid; and the contractor shall have no claim in respect of scaffolding or surplus materials asaforesaid except for any sum actually realised by the sale thereof.
- 6. Contractor to keep site clean: When the works are carried out, the splashes and droppings from white washing, color washing, painting etc. on wall, floors, doors, windows etc. shall be removed and the surface cleaned simultaneously with the completion of these items of work in the individual rooms, quarters or premises etc. where the work is done without waiting for the actual completion of all the other items of work in contract. In case the contractor fails to comply with the requirements of this clause, the Engineer-in-Charge shall have the right to get this work done at the cost of the contractor either departmentally or through any other agency. Before taking such action, the Engineer- in-Charge shall give 10 days' notice in writing to the contractor.
- 7. Payment of Final Bill: The final bill shall be submitted by the contractor in the same manner as specified in interim bills within two months of physical completion of the work or within one month of the date of the final certificate of completion furnished by the Engineer-in-Charge whichever is earlier. No further claims shall be made by the contractor after submission of the final bill and these shall be deemed to have been waived and extinguished. Payments of those items of the bill in respect of which there is no dispute and of items in dispute, for quantities and rates as approved by Engineer- in-Charge, will, as far as possible be made within the period specified herein-under, the period being reckoned from the date of receipt of the bill by the Engineer-in-Charge or his authorized representative, complete with account of materials issued by the Centre and dismantled materials. Penalty for any default will be deducted from the RA bills and Final bill as well.
- 8. Deviations / Variations: Extent And Pricing: The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him in writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which heagreed to do the main work except as hereafter provided.
- a. Deviation and Time Extension: The time for completion of the works shall, in the event of any deviations resulting

- in additional cost over the tendered value sum being ordered, will be extended, if requested by the contractor, as follows:
- i. In the proportion which the additional cost of the altered, additional or substitutedwork, bears to the original tendered value, plus
- **ii.** 25% of the time calculated in (i) above or such further additional time as may beconsidered reasonable by the Engineer-in-Charge.
- b. Extra Items and Pricing: In the case of extra item(s) which cannot be determined under the schedule of quantities, the contractor may within fifteen days of receipt of order or occurrence of the item(s), claim rates, supported by proper analysis, for the work and the engineer- in charge shall within one month of the receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined. In the case of substituted items, the rate for the agreement items (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following para:

c. Substituted Items and Pricing:

- i. If the market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted) the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so increased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted).
- ii. If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted) the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted).
- 9. Foreclosure of contract due to abandonment or reduction in scope of work: If at any time after acceptance of the tender, HBCSE-TIFR shall decide to abandon or reduce the scope of the works for any reason whatsoever and hence not require the whole or any part of the works to be carried out, the Engineer- in- charge or competent authority shall give notice in writing to that effect to the contractor and the contractor shall act accordingly in the matter. The contractor shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he/she might have derived from the execution of the works in full but which he did not derive in consequence of the foreclosure of the whole or part of the works.

The contractor shall be paid at contract rates full amount for works executed at site and in addition, a reasonable amount as certified by the Engineer-in-charge for the items hereunder mentioned which could not be utilized on the work to the full extent in view of the foreclosure.

- 1. Any expenditure incurred on preliminary site work, e.g. temporary access roads, temporary labour huts, staff quarters and site office, storage accommodation and water storage tanks.
- 2. HBCSE-TIFR shall have the option to take over contractor's materials or any part thereof either brought to site or of which the contractor is legally bound to accept delivery from suppliers (for incorporation in or incidental to the work) provided however, HBCSE-TIFR shall be bound to take over the materials or such portions thereof as the contractor does not desire to retain. For materials taken over or to be taken over by HBCSE-TIFR, cost of such materials as detailed by Engineer-in- charge shall be paid. The cost shall, however, take into account purchase price, cost of transportation and deterioration or damage which may have been caused to materials whilst in the custody of the contractor.
- 3. If any materials supplied by HBCSE-TIFR are rendered surplus, the same except normal wastage shall be returned by the contractor to HBCSE-TIFR at rates not exceeding those atwhich these were originally issued less allowance for any deterioration or damage which may have been caused whilst the materials were in the custody of the contractor. In addition, cost of transporting such materials from site to HBCSE-TIFR stores, if so required by HBCSE-TIFR, shall be paid.
- **4.** Reasonable compensation for transfer of T & P from site to contractor's permanent stores or to his other works, whichever is less. If T & P are not transported to either of the said places, no cost of transportation shall be payable.
- 5. Reasonable compensation for repatriation of contractor's site staff and imported labour to the extent necessary. The contractor shall, if required by the Engineer-in-charge furnish to him/her books of account, wage books, time sheets and other relevant documents and evidence as may be necessary to enable him to certify the reasonable amount payable under this condition. The reasonable amount of items on (i), (iv) and (v) above shall not be in excess of 2% of the cost of the work remaining incomplete on the date of closure, i.e. total stipulated cost of the work as per accepted tender less the cost of work actually executed under the contract and less the cost of contractor's materials at site taken over by HBCSE-TIFR as per item (ii) above 'Provided always that against any payments due to the contractor on this account or otherwise, the Engineer-in-charge shall be entitled to recover or be credited with any outstanding balances due from the contractor for advance paid in respect of any tool, plants

and materials and any other sums which at the date of termination were recoverable by HBCSE-TIFR from the contractor under the terms of the contract.

10. Suspension of work:

- 1. The contractor shall, on receipt of the order in writing of the Engineer-in-Charge or Competent Authority, (whose decision shall be final and binding on the contractor) suspend the progress of the works or any part thereof for such time and in such manner as the Engineer-in- Charge may consider necessary so as not to cause any damage or injury to the work already done or endanger the safety thereof for any of the following reasons:
- a. On account of any default on the part of the contractor or;
- b. For proper execution of the works or part thereof for reasons other than the default of the contractor; or
- c. For safety of the works or part thereof.
 - The contractor shall, during such suspension, properly protect and secure the works to the extent necessary and carry out the instructions given in that behalf by the Engineer-in-Charge.
- 2. If the suspension is ordered for reasons (b) and (c) in sub-para (i) above:
 - **a.** The contractor shall be entitled to an extension of time equal to the period of every such suspension PLUS 25%, for completion of the item or group of items of work for which a separate period of completion is specified in the contract and of which the suspended work forms a part, and;
 - b. If the works or part thereof is suspended on the orders of the Engineer-in-Charge for more than three months at a time, except when suspension is ordered for reason (a) in sub-para (i) above, the contractor may after receipt of such order serve a written notice on the Engineer-in-Charge requiring permission within fifteen days from receipt by the Engineer-in-Charge of the said notice, to proceed with the work or part thereof in regard to which progress has been suspended and if such permission is not granted within that time, the contractor, if he/she intends to treat the suspension, where it affects only a part of the works as an omission of such part by HBCSE-TIFR or where it affects whole of the works, as an abandonment of the works by HBCSE-TIFR, shall within ten days of expiry of such period of 15 days give notice in writing of his intention to the Engineer-in-Charge. In the event of the contractor treating the suspension as an abandonment of the contract by HBCSE-TIFR, he shall have no claim to payment of any compensation on account of any profit or advantage which he/she might have derived from the execution of the work in full but which he could not derive in consequence of the abandonment. He shall, however, be entitled to such compensation, as the Engineer-in-Charge may consider reasonable, in respect of salaries and/or wages paid by him to his employees and labour at site, remaining idle in consequence adding to the total thereof 2% to cover indirect expenses of the contractor provided the contractor submits his claim supported by details to the Engineer-in-Charge within 30 days of the expiry of the period of 3 months.

11. Action in case of work not done as per specifications:

All works under or in course of execution or executed in pursuance of the contract, shall at all times be open and accessible to the inspection and supervision of the Engineer-in- charge, his authorized subordinates in charge of the work and all the superior officers of the Centre or any organization engaged by the Centre for Quality Assurance and the contractor shall, at all times, during the usual working hours and at allother times at which reasonable notice of the visit of such officers has been given to the contractor, either himself be present to receive orders and instructions or have a responsible agent duly accredited in writing, present for that purpose. Orders given to the Contractor's agent shall be considered to have the same force as if they had been given to the contractor himself.

If it shall appear to the Engineer-in-charge or his/her authorized subordinates in-charge of the work or his/her subordinate officers or the officers of the organization engaged by the Centre for Quality Assurance or to the Chief Technical Examiner or his subordinate officers, that any work has been executed with unsound, imperfect, or unskillful workmanship, or with materials or articles provided by him for the execution of the work which are unsound or of a quality inferior to that contracted or otherwise not in accordance with the contract, the contractor shall, on demand in writing which shall be made within twelve months (six months in the case of work costing Rs. 10 Lakh and below except road work) of the completion of the work from the Engineer-in-Charge specifying the work, materials or articles complained of notwithstanding that the same may have been passed, certified and paid for forthwith rectify, or remove and reconstruct the work so specified in whole or in part, as the case may require or as the case may be, remove the materials or articles so specified and provide other proper and suitable materials or articles at his own charge and cost. In the event of the failing to do so within a period specified by the Engineerin-Charge in his demand aforesaid, then the contractor shall be liable to pay compensation at the same rate as under clause III (1) of the contract (for non-completion of the work in time) for this default in such case the Engineer-in-Charge may not accept the item of work at the rates applicable under the contract but may accept such items at reduced rates. Decision of the Engineer-in- Charge to be conveyed in writing in respect of the same will be final and binding on the contractor.

12. Contractor liable for damages, defects during Maintenance (Defect Liability Period): If the contractor or his working people or servants shall break, deface, injure or destroy any part of building in which they may be working, or any building, road, road kerb, fence, enclosure, water pipe, cables, drains, electric or telephone post or wires, trees, grass or grassland, or cultivated ground contiguous to the premises on which the work or any part of it is being executed, or if any damage shall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within 12 months after a certificate final or otherwise of its completion shall have been given by the Engineer- in-Charge as aforesaid arising out of defective or improper materials or workmanship, the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense, or in default, the Engineer- in- Charge cause the same to be made good by other workmen and deduct the expense from any sums that may be due, or at any time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale thereof or of a sufficient portion thereof.

The security deposit of the contractor shall not be refunded before the expiry of 12 months after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later. Performance guarantee shall be refunded to the contractor after completion of the work and recording the completion certificate.

13. Contractor to supply tools & equipment's etc.: The contractor shall provide at his own cost all materials (except such special materials, if any, as may in accordance with the contract be supplied from the Engineer- in-Charge's stores), machinery, tools & equipment. in addition to this, appliances, implements, other accessories, ladders, cordage, tackle and temporary works required for the proper execution of the work, whether original, altered or substituted and whether included in the specification or other documents forming part of the contract or referred to in these conditions or not, or which may be necessary for the purpose of satisfying or complying with the requirements of the Engineer-in-Charge as to any matteras to which under these conditions he is entitled to be satisfied, or which he is entitled to require together with carriage therefore to and from the work.

The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and from time to time of the work or materials. Failing his/her so doing, the same may be provided by the Engineer-in- Charge at the expense of the contractor and the expenses may be deducted, from any money due to the contractor, under the contract and/or from his security deposit or the proceeds of sale thereof, or of a sufficient portion thereof.

- 14. Lump sum provision in tender: When the estimate on which a tender is made include lump sums in respect of parts of the work, the contractor shall be entitled to payment in respect of the items of work involved or the part of the work in question at the same rates, as are payable under this contract for such items, or if the part of the work in question is not, in the opinion of the Engineer-in-charge payable of measurement, the Engineer-in-Charge may at his discretion pay the lump sum amount entered in the estimate, and the certificate in writing of the Engineer-in-Charge shall be final and conclusive against the contractor with regard to any sum or sums payable to him under the provisions of the clause.
- 15. Recovery of compensation paid to workmen: In every case in which by virtue of the provisions of section 12 sub-section (1) of the Workmen's Compensation Act. 1923, HBCSE-TIFR is obliged to pay compensation to a workman employed by the contractor, in execution of the works, HBCSE-TIFR will recover from the contractor the amount of the compensation so paid; and, without prejudice to the rights of HBCSE-TIFR under Section 12, sub-section (2) of the said Act, HBCSE shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by HBCSE to the contractor whether under this contract or otherwise. HBCSE shall not be bound to contest any claim made against it under section 12, sub-section (1) of the said Act, except on the written request of the contractor and upon his giving to HBCSE full security for all costs for which HBCSE might become liable in consequence of contesting such claim.
- **16. Fall Clause:** At any point of time if it is observed that the vendor is providing similar services to other any organizations in similar Regions / Zones with similar terms and conditions and status of work at a lower rate than offered to HBCSE, then the vendor shall have to compensate HBCSE by paying the difference amount and downward revise the rate of respective services with immediate effect.
- 17. Ensuring payment and amenities to workers if contractor fails: In every case in which by virtue of the provisions of the Contract Labour (Regulation and Abolition) Act, 1970 and of the contract labour (Regulation and Abolition) Central Rules, 1971, HBCSE is obliged to pay any amounts of wages to a workman employed by the contractor in execution of the works, or to incur any expenditure in providing welfare and health amenities required to be provided under the above said Act and the Rules, under Clause 19 H or under the Central Government Contractor's Labour Regulations, or under the rules framed by Government from time to time for the protection of health and sanitary arrangements for workers employed by the contractors, HBCSE will recover from the contractor the amount of wages so paid or the amount of expenditure so incurred; and without prejudice to the rights of

HBCSE under Section 20, sub-section (2) and Section 21, sub-section (4) of the contract labour (Regulation and Abolition) Act, 1970, HBCSE shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by HBCSE to the contractor whether under this agreement or otherwise. HBCSE shall not be bound to contest any claim made against it under Section 20, subsection (1) and section 21, sub-section (4) of the said Act, except on the written request of the contractor and upon his giving to HBCSE full security for all costs for which HBCSE might become liable in contesting such claim.

- **18. Termination of contract in case of death:** Without prejudice to any of the rights or remedies under this contract, if the contractor dies, the Engineer-in-Charge on behalf of the Centre Director, HBCSE shall have the option of terminating the contract without compensation to the contractor.
- 19. Labour laws to be complied by the contractor: The contractor shall obtain a valid licenseunder the Contract Labour (R & A) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971, before the commencement of the work, and continue to have a valid license until the completion of the work. The contractor shall also abide by the provision of the Child Labour Prohibition & Regulation) Act-1998. The contractor shall also comply with the provisions of the building and other Workers (Regulation of Employment & Conditions of Service) Act, 1996 and the building and other Workers Welfare Cess Act, 1996. Any failure to fulfill these requirements shall attract the penal provisions of this contract arising out of the resultant non execution of the work.
- 20. Minimum wages act to be compiled with: The contractor shall comply with all the provisions of the Minimum Wages Act, 1948, Contract Labour (Regulation and Abolition)Act, 1970 and rules framed thereunder and other labour laws affecting contract labour thatmay be brought into force from time to time.
- 21. Settlement of Disputes & Arbitration: Any dispute arising from this contract will be referred to two arbitrators one to be appointed by you and one by us. The two arbitrators, in the event of their disagreement will appoint an Umpire. The decision of the Umpire shall be final and binding. The arbitration will proceed as per Indian Arbitration Act, 1940, as amended up to date. Mumbai city will be the jurisdiction for the settlement of all court/ arbitration and related matters.
- 22. Confidential Information: The drawings, specifications, proto-type, samples and such other information furnished to the contractor relating to the supply / work, sub-systems / equipmentetc. are to be treated as confidential which shall be held by the contractor in confidence and shall not be divulged to any third party without the prior written consent of the Centre. The contractor, therefore, binds himself, his successors, heirs, executors, administrators, employees and the permitted assignees or such other persons or agents directly or indirectly concerned with the work / supply to the confidential nature of the drawings, specifications, proto-type samples etc. It is a further condition of the contract that the contractor shall not, without prior written permission from the Centre, transmit, transfer, exchange, and gift or communicate any such confidential information, and also the component, sub assembly, products, by-products

SECTION 7: SPECIAL CLAUSES OF CONTRACT

The following Special clauses of contract shall be read in conjunction with General clauses of contract. The same shall be considered as an extension and not limitation of the obligations of the contractor. In case of any discrepancy between Special clauses of contract and the General clauses of contract, these Special clauses shall take precedence over the General clauses of the Contract.

- 1. Sequence of work: The contractor shall execute the work as per the sequence given by the Engineer-in- Charge from time to time so that all other items of the work to be executed by other agencies are completed progressively along with the main work.
- 2. Co-operation and Co-ordination with other contractors: The contractor will carry out the entire work in a planned manner by co-ordinating his work with other contractors, who will be simultaneously carrying out work in the same area and also co-ordinate in connection with the position of various fixtures, inserts, embedment and other allied work connected with the completion of the building / subject work. In case of any dispute between the contractors engaged on the same work, decision of Engineer-in-Charge shall be final and binding.
- 3. Operations and storage areas: All operations of the contractor shall be confined to areas authorised by the Engineer-in-Charge and storage of materials shall be over the areas specially indicated by the Engineer-in-Charge. The contractor shall be obliged to keep the premises in hygienic conditions by proper drainages of the area provided with suitable approaches throughout the period of contract. He/she shall rectify all damages caused to the Government property within the areas thus allotted. He/she shall be responsible to clear all rank, vegetation at site at his own cost. The contractor should provide Storage box for the working personal at his own cost with lock and key arrangement. The box can be placed at approved location by Engineer-In-Charge.
- 4. Traffic interference & inconvenience to the public: The contractor shall so conduct his operations as to interfere as little as possible with the traffic/public. The contractor shall take all precautionary and other measure, such as providing warning signals, temporary diversion etc. all as directed by the Engineer-in-Charge. The contractor shall not deposit materials anywhere at work site which will seriously inconvenience the public. The Engineer-in-Charge may require the contractor to remove any materials which are considered to be a danger or inconvenience to the public or cause them to be removed at the contractor's cost.

The contractor shall exercise full care to ensure that no damage is caused by him or his workmen, during the operation to the existing water supply and power lines. The cost of any such damage and risks arising out of this shall be entirely borne by the contractor.

- 5. Supply of Water & Electricity: Water and electricity shall be supplied to the contractor by HBCSE free of cost subject to the following conditions:
- i. The Source of Water and Power Supply will be given at one point. All other arrangements have to be arranged by Contractor.
- ii. Contractor(s) shall make his/ their own arrangement of water/ electricity connection and laying of pipelines/ connection from existing main of source of supply as directed by Engineer-In-charge.
- iii. HBCSE do not guaranty to maintain uninterrupted supply of water/ electricity and it will be incumbent on the contractor to make alternative arrangement for proper supply of the same at his/ their own cost in the event of any break down in the government water/ electricity mains so that the progress of his/ their work is not held up for the want of the same. No claim of damage or refund will be entertained on account of such break down.
- 6. Tendered rates to cover overheads and profit: The rates quoted shall also cover the cost of necessary protection including labour, materials and equipment to ensure safety and protection against risk or accident, compensation for injury to life and damage to property if any, caused by the contractor's operations connected with this work. The rates shall be firm and shall not be subject to change due to variations during the entire period of execution of the work in cost of materials, labour and conditions, or any other conditions. No separate claim on this account will be entertained by the Centre.

Unless otherwise stated in schedule of quantities, rates for item quoted by the tenderer should be for the complete work including supply and fixing with all materials and should be for all heights and depths, lifts and leads, lengths and widths involved in the work.

The contractor when called for by the Centre should furnish detailed rate analysis in support of the rates quoted by him against each item of the tender. The Centre reserves the right to utilize the analysis thus supplied in settling the rate of any deviations or claims arising in this contract.

7. Claims against the contractor: Whenever any claim against the contractor for the payment of a sum or money arises out of or under the contract, Centre shall be entitled to recover such sum by appropriating in part or whole, the security deposit of the contractor and to sell any Government promissory notes etc. forming the whole or part of such security. In the event of the security deposit having been taken from the contractor, the balance or the total sum recoverable, as the case may be, shall be deducted from any sum then due or which at any time thereafter may become due from the contractor, under this or any other contract with the Centre. Should this sum be not sufficient to cover the full amount recoverable, the contractor shall pay the Centre, on demand the balance remaining due.

Centre shall have the right to cause an audit and technical examination of the work and the final bill of the contractor including all supporting vouchers, abstracts etc. to be made after payment of the final bill and if as a result of the due audit and technical examination any sum is found to have been over paid in respect of any work done by the contractor under the contract or any work claimed by him to have been done under the contract and found not have been executed, the contractor shall be liable to refund the amount of the over payment and it shall be lawful for the Centre to recover the same from him in the manner prescribed above or in any other manner legally permissible and if it is found that the contractor was paid less than what was due to him under the contract in respect of any work executed by him under it, amount of such under payment shall be duly paid by the Centre to the contractor.

8. Mode of measurements: Measurements for all hidden items once taken jointly and so accepted by the tenderer in the bills, in writing shall be final and binding. No re-recording of measurements for hidden items of work will be permitted. The contractor shall provide at his own cost suitable weighing and measuring arrangements at site for checking the weight / dimensions as may be necessary for execution of the work.

All measuring tapes (of steel), scaffolding and ladders which may be required for taking measurements shall be supplied by the contractor. If the contractor fails to accompany the Engineer-in-Charge or his duly authorised person to take measurements, then he shall be bound by the measurements, recorded by the Engineer-in-Charge or his representative.

- **9. Proper drawings and instructions:** The Engineer-in-Charge shall have full powers and authority to supply to the contractor from time to time during progress of the work such further drawings and instructions as shall be necessary for the purpose of proper and adequate execution and maintenance of the work and the contractor shall carry out the work and be bound by the same.
- 10. Urgent repairs: If by reason of any accident or failure or other event occurring to or in connection with the work or any part thereof either during the period of maintenance, any remedial or other work or repair shall in the opinion of the Engineer-in-Charge be urgently necessary for security and the contractor is unable or unwilling, at once, to do such work or repair, the Engineer-in-Charge may be his own or other workmen do such work or repair as he may consider necessary. If the work or repair so done which in the opinion of the Engineer-in-Charge, the contractor was liable to do at his own expenses under the contract and all cost and charges properly incurred by the Engineer-in-Charge in so doing shall on demand be paid by the contractor or may be deducted from any sum due or which may become due to the contractor provided always that the Engineer-in-Charge shall soon after the occurrence of any such emergency as may be reasonable, practicable, notify the contractor thereof in writing.
- 11. Pandemic Situation: If a Lock down or anything as such announced by Government of India/State Government due to pandemic condition like Covid 19 or any other and the work remain suspended, nothing extra shall be paid to contractor for any losses in this regard.
- 12. Medical Fitness of staff/ labour: Staff/ Labour to be engaged in work should have medical fitness certificate if required by the Centre. The contractor will also follow the guideline issued by Govt. of India/State Government during any pandemic and will follow the safety norms and be responsible for the safety of labours to be engaged in the work. No claim for any causality in this regard will be entertained.
- 13. Security regulations: The contractors have to follow strictly the regulations of the Centre at the work site regarding entry of personnel, material etc. and any other regulation that might be enforced from time to time. All materials and articles brought by the contractor to the work site shall have to be declared at the security gate. Similarly, no materials shall be taken out from the Centre's premises without proper gate pass, which will be issued by the Engineer-in-Charge to the contractor on written request. It is to be noted that loading of contractor's materials in vehicles and trucks shall be done in the presence of personnel of the Centre's personnel.

For working on Sundays, Holidays and late hours, even though permission will be accorded by the Engineer-in-Charge, the contractor will have to make application to the Security Department also and keep them informed well in advance. The contractor, his agents, representatives, workmen etc. and his materials, carts, trucks or other means of transport etc. will be allowed to enter through and leave from such point of entry/exit at such times, the authorities in-charge of the area, at their sole discretion, may permit. The contractor, his agents and representatives are required to be in possession of the individual identity / muster cards or passes. The muster cards or passes are examined by the security staff at the time entry / exit inside the premises.

The contractor, his agents, representatives, workmen shall strictly observe the orders pertaining to prevailing fire precautions. In addition to the above, other security regulations as may be imposed by the Security authorities /

Engineer-in- Charge shall be complied with / observed by the contractor and his workmen, in addition to the above. Any breach of above security regulations and rules in force from time to time will be viewed seriously. No claim whatsoever will be entertained by the Centre on account of the observation of the Security regulations.

- **14.** To take the materials out of the campus for disposal/ replacement it is the responsibility of the contractor to take prior approval and request a valid **GATE PASS** for any such material.
- **15.** The Service Provider is responsible for the payment of Minimum Wages (under Central Act) to the personnel deployed by it. The Service Provider is also responsible for compliance of the provisions of all the statutes applicable in its case.
- **16. Cancellation of Contract** In cases of poor workmanship and non-compliance of tender/agreement or services provided by the contractor are not found to be satisfactory, the contract shall be terminated by the Centre by giving **15 days' notice** even before the expiry of contract period and shall be forfeited the security deposit without assigning any reason whatsoever. No further justifications in this regard will be provided by HBCSE. The decision of Engineer-In-Charge on behalf of Centre Director HBCSE will be final and binding to the contractor.
- 17. No waste material shall be left over during the repair works under each item on any day.
- **18.**HBCSE will not provide any space at site for worker hutments.
- **19.** Contractor s workman should follow the COVID-19 related all the protocol declared by Ministry of Health/ State Government and Local Municipal corporation from time to time.
- 20. Along with above conditions & clauses, any other terms, conditions and clauses of contract mentioned in the latest editions of CPWD works manual, CPWD GCC for maintenance works and CPWD GCC for construction works are also binding to all the bidding contractors.

SECTION 8: SCOPE OF WORK / BILL OF QUANTITY

Sl. No.	Description of Items	Unit	Qty
1	Removing existing Asbestos Cement / Galvalume corrugated sheets from roof, excluding supporting structure but including scaffolding, handling, transporting, sorting and stacking of serviceable material and disposal of unserviceable material as per direction of Engineer-in-charge (EIC).	Sqm.	55.00
2	Dismantling steel work in built up sections in angles, tees, flats and channels of rolling shutters, grills, gates, fencing, hoardings, including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50metres lead.	Kgs.	750.00
3	Demolishing cement concrete <i>design jali</i> manually/ by mechanical means including disposal of material as per direction of EIC.	Cum.	5.50
4	Demolishing stone rubble masonry with tiles manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material as per direction of Engineer-in-charge (EIC).	Cum.	20.00
5	Demolishing brick work with tiles, in lime or cement mortar including plaster, paint, etc. manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material as per direction of Engineer-incharge.	Cum.	3.75
6	Removing of Kotah flooring including bedding removal, or any flooring laid on ground mechanically or manually and stacking serviceable material within a lead of 50m and carting away unserviceable materials/ debris etc. as directed by Engineer-In-Charge. Complete.	Sqm.	35.00
7	Breaking and removal of wall tiles including cleaning the surface for new tile fixing, at any heights with all scaffolding, tools, equipment required with site cleaning and debris disposal etc. Complete as per the instructions and directions of Engineer-In-Charge.	Sqm.	20.00
8	Roofing Shed work: Drawing, Providing, Fabricating and Erecting Mild Steel work in Roof Shed:		
A	Providing, detailing, fabricating and fixing at desired location using hot rolled sections and MS Plates of grade Fe 250 as per specifications and approved fabrication drawings (which are to be prepared by Contractor and got approved from EIC), transporting to site and erecting structural steel members for all heights & at all levels including provision of necessary erection bolts, fixing bolts, nuts, washers, cleats, stiffeners, gussets, base plate, and all necessary fixtures and operations like preheating as per specifications, straightening, bending, cutting, drilling, grinding, machining if specified, welding, grinding and removing the welding burr and preparing surface for painting with wire brush cleaning and applying two coats of epoxy red oxide zinc phosphate primer of 30 microns each and two coats of Epoxy Corrosion Resistant Enamel paint of 30 microns after fabrication including touching up with spray painting after erection etc. complete as directed by Engineer In Charge. (The qty. for this item shall be measured for gusset plates, base plates, bolts in M.T.) NOTE: 1. The truss design to be submitted by the contractor, it should comply with the IS specifications and consider the live load, dead load and wind pressure on the structure.	MT	2.25
b	Roofing colour coating HI profile sheet:		
i	Providing permanent approved colour coated 150 GSM (0.5 mm thick) Hi-Rib profile sheets and ridge sheet of min. 0.5mm Total Coated Thickness (TCT) galvalume sheet having minimum yield strength of 550 MPa with top coat (of approved colour) of 20 micron and back coating of 10 micron of M/s. TATA, JSW or standard approved equivalent make, and its fixing with self-drilling /self-tapping screws plated of size min. 5.5x 55 mm of M/s. Bosch, Hilti, HP or standard approved equivalent make with life span of at least 10 years including EPDM seal washer etc. complete upto any pitch and surfaces. as directed by EIC.	Sqm.	55.00

••	D	C	(0.00
ii	Providing sandwich PUF (Polyurethane Foam) roof panel having PUF core thickness 100mm, Density 40(+/-2) Kg/m3, Thermal conductivity at 10degree C 0.023W/m·K, Bending strength 4 Kg/cm2, Tensile Strength 3.7 Kg/cm2, Water absorption 0.2% at 100% RH, Fire retardant; sandwiched between permanent Off white colour coated 150 GSM (0.5 mm thick) Hi-Rib profile sheets of min. 0.5mm Total Coated Thickness (TCT) galvalume sheet having minimum yield strength of 550 MPa with top coat of 20 micron and back coating of 10 micron of M/s. TATA, JSW or standard approved equivalent make; and Aluminum foil on internal side. Fixing of the panel with self-drilling /self-tapping screws plated of size min. 5.5x 150 mm of M/s. Bosch, Hilti, HP or standard approved equivalent make with life span of at least 10 years including EPDM seal washer, Galvalume flashing wherever required etc. complete upto	Sqm	60.00
	any pitch and surfaces. as directed by EIC.		
9	Providing and constructing masonry in Autoclaved Aerated (Cellular) Concrete Block of approved manufacturer confirming to IS 2185 Part III 1984 of size (625x240x225) mm in extra fine jointing mortar of fixoblock of in superstructure including, striking joints, racking out joints watering and scaffolding etc. Complete	Cum.	21.60
10	Providing, mixing and laying of Reinforced Cement Concrete in lintel/ sill beam of at least 100 mm thick with nominal standard reinforcements of approved make throughout the length over existing brick masonry, including the cost of all material, support props, labour, wastage, transport etc. complete. all as per instructions and directions of Engineer-In-Charge.		
A	M20- Nominal Mix 1:1.5:3 (1 cement: 2 coarse sands: 4 graded stone aggregate	Cum.	0.20
11	20mm nominal size). Providing and fixing in position steel bar reinforcement of various diameters for	MT	0.05
	RCC piles, caps, footings, foundations, slabs, beams, columns, canopies, staircases, newels, Chajjas, lintels, pardis, copings, fins, arches, etc. as per detailed designs, drawings and schedules, at any heights including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required, etc. complete as directed by EIC. (including cost of binding wire).		
12	Providing and fixing polished natural stone tiles as specified below of approved		
	quality, pattern and colour for sill and jambs including preparing the surface and levelling in the desired line, cement mortar 1:3 bedding or backing, cement float, machine cutting, nosing, molding the sharp edges wherever necessary, leveling, jointing, smooth cement plastering, curing along the sides to match the existing surface in cement mortar 1:3, filling the joints with neat cement or pigment mixed with cement, finishing, curing etc. complete as directed by Engineer In Charge [Using cement slurry at back side of stone @ 4.4 kg/Sqm & white cement slurry for joint filling @ 1.8 kg/Sqm]		
a	18mm thk. green marble for width up to 300 mm	Rmt.	12.00
13	Providing and laying 600mm x 600mm x 8mm thk. vitrified tiles conforming to I.S.15622- 2006 with water absorption less than 0.08% for flooring of EIC approved, colour, finishing, quality, make, colour and pattern /design for flooring including cement mortar bedding of 25 mm thick in 1:4 proportion, cutting, leveling, jointing, filling the joints by neat cement slurry or approved colour grout, curing, finishing etc. complete as directed by Engineer In Charge.	Sqm.	40.00
14	Providing and fixing 600mm X 600mm X 6mm thk. glazed ceramic tiles as specified below conforming to I.S. 15622-2006 of EIC approved quality, pattern and colour for dado in the dry area including preparing the surface and levelling in the desired line, backing of 20 thk. cement mortar in proportion 1:3, square cut top edge or chamfered top edge in cement mortar 1:3, cement float, machine cutting, leveling, jointing, filling the joints with neat cement slurry or approved colour grout, finishing, curing etc. complete as directed by Engineer in Charge.	Sqm.	48.00

15	Providing Cement plaster for internal walls, ceilings and other workable surfaces with 12-15 mm thick in CM 1:4 (1 cement: 4 fine sand) after surface preparation including cleaning, hacking of base R.C.C. surfaces, application of cement slurry all around, for all heights including scaffolding/staging, and providing GI plaster chicken mesh of 20 gauge stretched tight at all RCC/ PCC and masonry joints in 150mm wide strips on each surface; fixed with G.I. "U" type nails before plastering. All including tools, accessories, labour, wastage, finishing, curing, site cleaning etc. Complete as per instructions and directions of Engineer-In-Charge		
	NOTE: 1. Silpoze Sand is permitted based on meeting the acceptance criteria. (Rates will be inclusive of all charges/ royalties against sand to be paid.) 2. Some areas of plaster can be in patchwork of area less than or equal to 1 sqm. 3. Breaking of old plaster will be paid separately	Sqm.	96.00
16	Providing external cement plaster with waterproofing using waterproofing compound of M/s. Sunanda, Krishna Conchem, Pedilite for external walls, 25mm thick plaster with 1:3 (1 Cement: 3 fine sand), after surface preparation including cleaning, hacking of base surfaces, application of cement slurry all around and on joints between old and new plaster, for all heights including scaffolding/staging. All including tools, accessories, labour, wastage, finishing, curing, etc. Complete as per instructions and directions of Engineer-In-Charge NOTE: Sand is permitted based on meeting the acceptance criteria of the centre. (Rates will be inclusive of all charges/ royalties against sand to be paid.)		
1	NOTE: 1. Sand is permitted based on meeting the acceptance criteria. (Rates will be inclusive of all charges/ royalties against sand to be paid.) 2. Some areas of plaster can be in patchwork of area less than or equal to 1 sqm. 3. Breaking of old plaster will be paid separately	Sqm.	100.00
17	Providing and fixing Modular false ceiling of 600 x 600 mm center to center and 13 mm thick square mineral fiber board of M/s. Armstrong, Gyproc make to be fixed on frame work of aluminium sections for suspended false ceiling consisting of aluminium T 2"x1 ½" (50 mm x 40 mm) weighing 0.39 Kilogram/m at 60 cms center and fixed with ½" x ½" (15 x 15 mm) flanges weighing 0.19 Kilogram/m suspended on 6 mm dia Galvanized Iron rod with heavy duty butterfly clips for adjustments, fixed on wall and beams including rounding of the edges with aluminium T of 2" x 1 ½" (50 mm x 40 mm) weighing 0.39 Kilogram/m etc. (all aluminium sections shall be anodized) including all labour, material, wastages, lifts etc. complete.	Sqm.	40.00
18	Providing and fixing solid core flush door shutter in single leaf 32 mm thick decorative type of exterior grade as per detailed drawings approved face veneers 3 mm thick on both faces and sides or as directed, all necessary beads, moldings and lipping, wrought iron hold fasts, chromium plated fixtures and fastenings, with brass mortise lock, chromium plated handles on both sides, and finishing with French Polish etc. complete.	Sqm.	3.00
19	Providing wood work in frames of doors, windows and other frames, wrought, framed using well seasoned 1st class teak wood and fixed in position including painting the portion in contact with masonry/RCC with two or more coats of Anti-termite treatment paint and fixing the frames with suitable heavy duty 6 nos. GI holdfast duly embedded in wall/R.C.C. surfaces wherever required including removal of existing damaged door/ window frame and its disposal outside campus etc. complete as per site condition/requirement and approval of Engineer-in-Charge. The rate quoted should be for complete work and nothing extra will be paid for any minor variation required to complete the work. A. For Profile size of 100 x 50 mm	Rmt.	6.00
20	Providing and fixing in position (as per 1868 / 1982) Aluminium sliding window of three tracks with rectangular pipe 95 x 38.10 x 0.90 mm at weight 0.637 Kilogram/ Running Meter. with window frame bottom track section 92 x 31.75 x 1.30 mm at weight 1.070 Kilogram/ Running Meter. Top and sidetrack section 92 x 31.75 x 1.30 mm at weight 0.933 Kilogram/Running meter. The shutter should be bearing bottom 40 x 18 x 1.25 mm at weight 0.417 Kilogram/ Running	Sqm.	5.00

	Meter. Interlocking section 40 x 18 x 1.10 mm at weight 0.469 Kilogram/Running meter. and handle and top section 40 x 18 x 1.25 mm at weight 0.417 Kilogram/Running meter. As per detailed drawings and as directed by Engineer in charge with all necessary Aluminium sections fixtures and fastenings such as roller bearing in nylon casting and self-locking catch fitted in vertical section of shutter including 5 mm thick one-way visible tinted glass and aluminium mosquito net shutter with stainless steel jali with all required screws and nuts etc., complete. With colour Anodizing without box (NOTE: Anodic film must not be less than 15 microns i.e. AC-15 as per IS, the anodizing must be escalated by keeping the anodized section in boiling deanodized water for a period of one hour)		
21	Providing and fixing factory made Fiberglass Reinforced plastics (F.R.P.) chajjah 4 mm thick (approx. size = 1.5m X 0.8m) of required colour, size and design made by Resin Transfer Moulding (RTM) Machine Technology, resulting in void free compact laminate in single piece, having smooth gradual slope curvature for easy drainage of water and duly reinforced by 2 no vertically and 1 no horizontally 50x2 mm thick M.S. flat with 12 mm in built hole for grouting on the existing wall along with the 50 mm flanges duly inserted and sealed in the wall complete in one single piece casted monolithically, including all necessary fittings. The FRP Chajjah should be manufactured using unsaturated Polyester resin as per IS: 6746, duly reinforced with fiber glass chopped strand mat (CSM) as per IS: 11551 complete with protective Gel coat U/V coating on Top for complete resistance from the extreme of temperature, weather & sunlight complete as per instructions and directions of Engineer-In-Charge. NOTE: Only plan area of Chajjah shall be measured for making payment.	Sqm.	4.00
22	Providing and applying Two coats of wall care Putty of standard approved make on plastered surface and Ceiling and Walls upto any heights to prepare surface in line & level and smooth by scrapping, etc. complete.	Sqm.	50.00
23	Providing and painting the internal plastered surfaces (walls /ceiling) with two or more coats of Premium Acrylic Emulsion Paint having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved colour, finish and make by EIC, over a coat of interior wall primer having VOC (Volatile Organic Compound) content less than 50 grams/ litre of same approved make; including preparing the surfaces, filling of cracks with standard approved crack fillers, application of wall care putty wherever required, scaffolding at any heights, double height staging, cleaning etc., at all floors, locations, heights and lead etc. Complete. All as per instructions and directions of Engineer-in-charge.	Sqm.	50.00
24	Providing and applying two coats Apex Ultima Puranature Anti-Pollution Or standard equivalent approved brand, paint should decompose organic substances and inorganic gases (NOx, VOC's, CO, SOx, formaldehydes, etc.) in presence of natural or artificial light. It contains Graphene and nanoparticles of titanium oxide. and Absorbs CO2 (4.8 Kilogram/15 l). plaster crack should be filled by acrylic base Crack seal/Textured Crack filler, Paint has to applied on one coat of Apex Ultima Puranature Anti-Pollution Primer or Equivalent. Warranty Should be given by the Manufacturer The work should be done by the Manufacturer Recommended applicator and he should be able to furnish stage wise onsite technical reports from the concerned company technologist. Providing and fixing 16 gauge anodized (anodic film must not be less than 15	Sqm.	120.00
23	microns as per IS, the anodizing must be escalated by keeping the anodized section in boiling de- anodized water for a period of one hour) aluminum fixed/sliding / pivoted / top hung / side hung doors and partitions conforming to IS:1948, 1961 with hollow bottom section & standard section all around (top, bottom and sides) with shutter frame made up of standard handle section and standard top and bottom section with infill panel of plain / frosted glass/ Novapan sheet / acrylic sheet / hardener laminated sheet as listed below with nylon guides, gliders glass fixing PVC weather strips, neoprene gasket, PVC weep holes, etc. complete with approved type of locking arrangement, handles and other fixtures such as door closer, locks, hinges including fixing, filling the gaps with silicon sealant, cleaning polishing the aluminium section as specified by the		f the Bidder

	manufacturers etc. complete as directed by Engineer In Charge.		
A	Aluminum section used (anodized transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	Kgs.	150.00
В	4 mm thick Hardener Laminated sheet (Bakelite composite panel)	Sqm.	25.00
С	Providing and fixing float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm) for vision panel in aluminium door with wooden molding on side and EPDM rubber / neoprene gasket packing etc. complete as per the directions of EIC.	Sqm.	2.00
26	Providing and fixing Vitrified China wall hung white wash basin of size 43D x 34.5W x 13H centimeters with pillar cock having flow rate up to 6.0 Litr/Minute, C.P. Angular stop cock long thread of Jaquar/ Cera/ Hindware/ Perryware or equivalent make, including SS bottle trap of approved make including all water outlet arrangements etc. as directed by Engineer in charge. Complete.	Nos.	1.00
27	Buyback: Loading and taking out the non-serviceable material described as follows for disposal in scrap, including labour transport etc. complete.		
A	Mild Steel	Kgs.	700.00
b	Galvanized Iron roofing sheets	Kgs.	50.00



SECTION 9: LIST OF APPROVED MAKES / MANUFACTURERS OF BUILDING MATERIALS

Sl. No.	Description of materials	List of Manufacturers
1	OPC- 43 grade / PPC Cement	ACC, Birla, Ultratech, Narmada
2	White Cement	J.K. Cement & Birla White
3	Concrete Admixtures	Sunanda Chemicals, FOSROC, Pidilite, Roffe, BASF
4	HYSD Bars (TMT Bars)	M/s TISCO, SAIL, RINL
5	Structural Plates and Steel Sections	M/s TATA, SAIL, RINL
6	Anti-Termite treatment	M/s PARAGON, PEECOPP, Express Pesticides Corporation,
		Elite Corporation, Pest Control (I) Ltd. & NOCIL Chemicals,
7	Terrazzo Tiles	M/s NITCO, BHARAT, G.K. BANSAL, Acme Tiles & Super Tiles
8	Ceramic Tiles	M/s Johnson (I) Ltd., Somany, Kajaria
9	Glazed Tiles	M/s Johnson (I) Ltd., Somany, Kajaria
10	Vitrified Floor Tiles	M/s Johnson (I) Ltd., Somany, Kajaria
11	P V C flooring	M/s Premier Vinyl Flooring Ltd., Royal Cushion Vinyl Product Ltd., Armstrong, Responsive Industries Ltd.
12	Paver Blocks, Polymer moulded Paver Blocks, Chequered concrete Floor Tiles	M/s. Vyara, Super, Sona tiles
13	Metallic Floor Hardner	Triveni Colour Industries (Floor), Heatly & Gresham (India) Ltd., De Rust Chemical Corporation of India (Fermonite), Cement Research Corporation (stilonite), Ironite India Ltd.
14	Pressed Steel Door Frame	M/s. Sen Harvic, TECHOME, Nishan Solid Door Frame, Anjali Enterprises, M/s SUNBEAM, Windoors Bharat Steel Industries, Pune, M/s AGEW, Strategic, BuildingSystems
15	Flush Door Shutter	M/s. Indian Plywood, Kitply, Century flush door shutter
16	BWP plywood as per – IS - 710	M/s. Green, Duro, Century, Silicon(evoke)
17	CommercialPlywood – IS– 303 (BWR/MR)	M/s. Green, Duro, Century
18	Decorative ply (Veneer)	M/s. Green, Duro, Century, Silicon(evoke)
19	Factory made panel door shutter	M/s. Century doors, Jain irrigation system (p) ltd (Ex-cel sheet), Green, Duro, EURO
20	Masonite Wooden Panel Doors	M/s. Kutty flush doors, Sejpal & others
21	UPVC Doors / Windows	M/s. Fenesta, Aluplast, Lingel, Shuco, Winpro, Rehau
22	FRP Door Shutter	M/s. Advance FRP & House of Doors, Rawji Export
23	Pressed steel doors & fire resistant steel doors	M/s. Godrej, Windoors, Strategic Building Systems & Kutty Flush Doors
24	Mild Steel Rolling Shutters, G I Rolling	M/s. SWASTIC, Windoors. Dodia,
25	Shutters, Stainless steel & aluminum rolling shutter	M/s. Trupti, Bharath & Larsen Engineering
26	Block Board	M/s. Wood India — Calcutta, Sejpal & others Pioneer Timber Products, Chandigarh, Northern Door
27	Ply Wood	M/s. Indian Plywood Mfg. Ltd., Kitply, Century Plywood, Anchor
28	Laminate Sheet	M/s. Greenlam, Sundeck, Bloom, Marino
29	Pre Laminated & Plain Particle Boards	M/s. NOVAPAN, Anchor, Century or Equivalent
30	Adhesive for wood	Fevicol, Vamicol, Dunlop, Araldite
31	Aluminum Grills	M/s Alurniprofiles, DecogriIIs
32	Fittings & fixtures	M/s Jayant Metal, Shalimar hardware, Everite, Garnish, Diamond, Navbharat, SAIF Enterprises, Hardwin Traders, Godrej, DE Lock Industries, Explore Engineers, Garg Hinges
33	Aluminum Extruded Sections	Jindal, Hindalco
34	Aluminum Powder Coated Curtain	Bilmate, Elite
35	Lime	Janatacem, Asian Paint

colour, Surfa coat, Terraco, E Buildcare & Decocem 38 Distemper & Paints Bison Acrylic Distemper of M Maxilite Acrylic Distemper of	Hindustan Colour Chemical, Jayant Berger- Rabiacem, Apporva M/s. Berger/ Beauty of M/s. Nerolac/ of M/s. ICI / Tractor brand of M/s. valent paints, M/s Nerolac Paints, M/s proved by Engineer in-charge
Maxilite Acrylic Distemper of	of M/s. ICI / Tractor brand of M/s. valent paints, M/s Nerolac Paints, M/s proved by Engineer in-charge
Asian	paints, M/s Nerolac Paints, M/s proved by Engineer in-charge
39 Acrylic Emulsion Paint M/s. Asian or approved equiv	proved by Engineer in-charge
	paints, M/s Nerolac Paints, M/s proved by Engineer in-charge
42 Locks and other wooden/ aluminium M/s. Godrej, Dorset, Dorma furniture accessories	
43 Construction Chemicals (grout/ bonding agents/ rust removers/ anti rust) M/s. Fosroc, Sika, Pedilite, K	Arishnaconchemical, BASF
44 Galvalume Pre-coated roofing sheets M/s. Tata, JSW	
45 Polish M/s. MRF, Asian, ICI, Tarala	ac
46 Door Window & Furniture Hardware M/s. Dorma, Godrej	
47 Adhesives M/s. Pedilite	
48 Water Proofing chemicals M/s. Sika, Pedilite, Soprema	
49 WPC door (Frame & Shutter) M/s. Alstone, Flexibond	
50 External 100% Premium Acrylic M/s. Asian paints, ICI Dulula Emulsion Paint	ax Paints,
51 Integral Waterproofing Compound Sunanda Chemicals, Mc-Bau Fosroc	chemie, FOSROC, Pidilite, Roffe,
52 Glass for Doors / Windows Modi Guard, Continental, En	nirates, Saint Gobain, Asahi & Sejal
53 Plain Glass Mirror M/s Modi Float Glass, Eagle,	, Atul, Saint Gobain, Asahi
54 Sanitary Wares M/s Parryware, Hindustan, C	era, Neycer
55 C.P. Brass Fittings & Fixtures JAQUAR Continental make of	or equivalent Parryware / Kolhar
56 C.P. Brass Coupling and Bottle Trap ESSCO, GEM, Kingston, Jag	guar, Metro, Marc
57 C.I. Flushing Cistern Mis A-1 (J.S.), HJN, JAMCO), Neco, HIF
58 C.P. BRASS Urinal Waste & Flush Orient, PARKO, Elite, Jagua	r & Metro
59 W.C. Plastic Seat & Cover M/s Commander, Parryware,	Cera or equivalent approved
60 S.S. Sink M/s Diamond, Niraii	
61 S.W. Pipes & Gully Trap Perfect, Kashrnira, BURN, R	K, ANAND, ISI marked
62 CPVC, UPVC, SWR Pipes Finolex, Prince & Supreme, A	Astral
63 Poly Propylene — R Pipes Supreme & Sakthi Polymers	
64 PVC Plastic High / Low level Cistern (White) Cera, Parryware-similine, Co	ommander or equivalent
65 PVC Inlet connection & Waste Pipes Kohinoor, ECCSO, GEM & 1	Elite

NOTE: Any other material makes to be used will require a prior approval of Engineer-In-Charge. In case the material delivered on site, gets rejected in terms of non-approved make and quality, no any payment will be made for the same.

ANNEXURE I

APPLICATION FORM (On Company's Letterhead)		
Date:		
To, The Centre Director,		
Homi Bhabha Centre for Science Education,		
TIFR, V. N. Purav Road Mankhurd, Mumbai – 400088.		
Sir,		
1. Being duly authorized to represent and act on behalf of		
(hereinafter referred to as "the Applicant") and having		
reviewed and fully understood all the pre-qualification information provided, the undersigned hereby applies to be pre-qualified by yourselves as a tenderer for award of work(s) for 'Civil Modification Including Buyback for New		
Medical Centre at Homi Bhabha Centre for Science Education - TIFR, Mankhurd, Mumbai – 400088' as per		
specification attached.		
2. Attached to this letter are copies or original documents defining:		
(a) the applicant's legal status		
(b) the principal place of business(c) the place of incorporation (for applicants who are corporations) or the place of registration and the nationality of		
the owners (for applicants who are partnerships or individually owned firms)		
(d) Annexure no. II to VIII		
3. Your Centre and its authorized representatives are hereby authorized to conduct any inquiries or investigations		
to verify the statements, documents and information submitted in connection with this application, and to seek		
clarification from our bankers and clients regarding any financial and technical aspects. This letter of application will		
also serve as authorization to any individual or authorized representative or any institution referred to in the supporting		
information, to provide such information deemed necessary and requested by you to verify statements and information		

4. Your Centre and its authorized representatives may contact the following persons for further information on general, personnel, technical and financial enquiries.

provided in this application, or with regard to the resources, experience, and competence of the Applicant.

Details	Contact 1	Contact 2
Name		
Contact No.		
E-mail		

- 5. This application is made with the full understanding that:
- (a) Bids submitted by applicants will be subject to verification of all information submitted at the time of bidding
- (b) I have checked all terms & Conditions and all the clauses included in this contract document, I accept to abide and follow to conditions. I also understand that failing to satisfy the above the contract may lead to the cancellation of this contract and forfeiture of the Performance Guarantee with Security Deposit.
- (c) Your Centre reserves the right to:
- i. Amend the scope and value of the contract / bid under this project; in such event, bids will only be called from pre-qualified bidders who meet the revised requirements; and
- ii. Reject or accept any application, cancel the pre-qualification process, and reject all applications without assigning reasons or incurring any liability thereof; and
- (d) Your Centre shall not be liable for any such actions and shall be under no obligation to inform the applicant.
- 6. The undersigned declares that statements made and the information provided in the duly completed application are true and correct in every detail.

Signed and sealed, Name
For and on behalf of

ANNEXURE – II

TECHNICAL BID COMPANY PROFILE

BASIC TECHNICAL DETAILS OF THE BIDDER

Sr. No	Description Remarks	Page no.
1.	Name of business	
2.	Type of firm: Proprietary / Partnership / Pvt. Ltd. / Ltd./ Single Person Company / LLP Incorporation date:	
3.	Name of Directors/ Partners	
4.	Full particulars of office	
(a)	Registered/ Head Office address	
(b)	Telephone no.	
(c)	E-mail address	
5.	Bank details	
/		
	(b) Account type:	
	(c) Account no:	
100	(d) IFSC code:	
6.	Registration details :	1 1/
	(a) PAN no. (attach copy of proof)	
	(b) GST registration no.(attach copy of proof)	
7.	Details of Bid Security Declaration/ Earnest Money Deposit	
(a)	Amount (Rs.)	
(b)	Demand Draft No. and Date	
(c)	Drawn on bank	
8.	The tenderer should have the Zonal office in Mumbai/ Navi	
9.	Mumbai/ Thane and nearby areas. (attach copy of proof) Name & Designation of the Officer of the Contractor/	
9.	Bidder to whom all the reference shall be made for	
	expeditious technical co-ordination	
10.	Any other information	
10.	Any outer information	

ompany Seal ate:	(Signature of the bidder)
Date:	Name and Designation

ANNEXURE -III

EXPERIENCE OF COMPLETION OF PROJECTS OF SIMILAR NATURE & COMPLEXITY

(During last **Five** years ending last day of month previous to the one in which applications are invited)

Sl. No.	Name of work / project and location	Owner or sponsoring organization	Cost of Work In Lakhs	Date of commencement as per contract	Date of completion	Name and address/ Telephone number of officer to whom reference may be made	Remarks
	1		1	ti	f		١
			21		3		

NOTE: Please attach supporting documents (completion certificates along with order copies) for the above information.

Signature and seal of the Authorized Signatory of the bidder

ANNEXURE - IV

LIST OF WORKS IN HAND

Name of work	Name & address of the establishment under whom the work is being executed	Value of the work in Lakhs	Completion time as per the contract	Position of the works in progress	Remarks
		4.9	2		
7					

Signature and seal of Authorized Signatory of bidder

ANNEXURE - V

FINANCIAL CAPABILITIES

(On the Letterhead of CA)

Financial Year	Annual Turn Over in Indian Rupees (or equivalent to IndianRupees) as per Audited Balance Sheet
2022-2023	Rs.
2023-2024	Rs.
2024-2025	Rs.

NOTE: The above data is to be supported by audited balance sheets and to be submitted with tender documents.

(Attach copies of audited balance sheets duly certified by the chartered accountant for all three years. Audited Balance sheet should mention the membership number of chartered accountant issued by ICAI along with full address.)

For		
Chartered Accountants		
Name & Signature		
Company Seal & Phone No.	:	
Date		

ANNEXURE – VI

LITIGATION DETAILS (COURT CASES/ARBITRATION)

Year	Name of the work	Name of the Client, with Address	Title of the court Case/Arbitration	Detail of the Court/ Arbitrator	Status Pending/ Decided	Disputed Amount (Current Value, the equivalent) in case of Court Cases/ arbitration	Actual Awarded Amount (Rs) in decided Court Cases/arbitration
					18		
	/- II		4		F	I/O	

Signature and seal of Authorized Signatory of bidder

ANNEXURE-VII

CERTIFICATE FOR SITE INSPECTION (To be submitted on Company's Letter Head)

Certified that we(Name of bi	idder)
from M/s(name of Bidder firm)	have
visited the site on dated and assessed the nature and amount of work involved before submittin	ıg our
offer. We will be able to complete the works within the stipulated time and also certified that we will be ab	ble to
supply the material/ executing the work as per specification to suit the site conditions.	

Signature of bidder with Seal &Date

ANNEXURE -VIII

BID SECURITY DECLARATION (EMD) (To be submitted on Company's Letterhead)

Date:
To, Centre Director, Homi Bhabha Centre for Science Education – TIFR, V. N. Purav Marg, Mankhurd, Mumbai - 400088.
Tender No
I/we have gone through the tendering conditions pertaining to the Tender and General Conditions of Contract, Special Conditions of Contract and Additional Conditions of Contract, if any.
We, the undersigned, declare that:
I / We understand that, as per terms and conditions of tender, bids must be supported by a Bid Security Declaration In lieu of Earnest Money Deposit.
I / We hereby accept that I / We may be disqualified from bidding for any contract with you for a period of (03) Three years from the date of disqualification as may be notified by you if,
I. I am /We are in a breach of any of the obligations under the bid conditions, or
II. I/We have withdrawn or unilaterally modified/amended/revised, my/our Bid during the bid validity period specified in the form of Bid or extended period, if any.
III. If I am/we are awarded the contract, and I/ We fail to sign the contract,
IV. On acceptance of our bid by HBCSE, I/we failed to deposit the prescribed Performance Bank Guarantee or fails to execute the agreement or fails to commence the execution of the work in accordance with the terms and conditions and within the specified time.
Signature of bidder with Seal &Date
Name & designation of the authorized person signing the Bid-Securing Declaration Form:
Duly authorized to sign the bid for and on behalf of: (complete name of Bidder firm)
Dated on day of month, year.

ANNEXURE -IX

FORM OF AGREEMENT (To be submitted after issue of WO on Rs.100 Stamp paper)

This Agreement is made on the Homi Bhabha Centre for Science Edu entering into work(s) for 'Civil Modif for Science Education - TIFR, M Employer") who enters into this Ag	cation, Tata Institute of Funda ication Including Buyback f ankhurd, Mumbai – 40008 greement of the one part an	amental Research (HBCS or New Medical Centre 8' as per the document and M/s	at Homi Bhabha Centre
Whereas the Employer is desiro		("the Works")	and has accepted a Bid by
the Contractor for the execution and c	ompletion of the works and the	e remedying of any defec	ets therein.
Now this Agreement witnessed as foll 1. In this Agreement words and exp the Conditions of Contract herein 2. The following documents shall be (a) The Letter of Award; (b) The said Bid; (c) The General and Special Condition	ressions shall have the same after referred to. e deemed to form and be rea		
(d) Prequalification document(e) Instructions to Bidders and Speci(f) The Specification;(g) Scope of Work	fic Conditions of Contract;		
(h) The Price Bid(i) Annexures(j) Any other relevant documents res	erred to in this Agreement o	r in the aforementioned	documents
3. In consideration of the payments Contractor hereby covenants with the in conformity in all respects with the	Employer to execute and co		
4. The Employer hereby covenants Works and the remedying of defects under the provisions of the Contract	therein the Contract Price of	or only such other sums	as may become payable
In Witness whereof the parties hereto Signed, Sealed, and Delivered by the S	•	o be executed the day an	d yearfirst before written.
Binding Signature for and on behalf or	HBCSE-TIFR-Mumbai		
	Binding Signature of Contrac	tor	
	In the presence of Witness (1):		
	(Name & Signature)		
	Witness (2):		
	(Name & Signature)		

ANNEXURE -X PROFORMA FOR PERFORMANCE BANK GURANTEE

(On a stamp paper of appropriate value from any Nationalized Bank or Scheduled Bank)

(To be submitted after issue of WO)

In consideration of the HOMI BHABHA CENTRE FOR SCIENCE EDUCATION- TATA INSTITUTE OF FUNDAMENTAL RESEARCH (hereinafter called "The HBCSE- TIFR") having agreed under the terms and conditions of Work Order No
2. We (indicate the name of Bank) do hereby undertake to pay the amounts due and payable under this guarantee without any demur, merely on a demand from the HBCSE-TIFR stating that the amount claimed is required to meet the recoveries due or likely to be due from the said Contractor(s). Any such demand made on the bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs
3. We, the said bank, further undertake to pay to the HBCSE-TIFR any money so demanded notwithstanding any dispute or disputes raised by the Contractor(s) in any suit or proceeding pending before any Court or Tribunal relating thereto, our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be a valid discharge of our liability for payment thereunder and the Contractor(s) shall have no claim against us for making such payment.
4. We
5. We
6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s).
7. We, (indicate the name of Bank) lastly undertake not to revoke this guarantee except with the previous consent of the HBCSE-TIFR in writing.
8. This guarantee shall be valid up to, unless extended on demand by HBCSE-TIFR. Notwithstanding anything mentioned above, our liability against this guarantee is restricted to Rs. (Rupees only) and unless a claim in writing is lodged with us within six months of the date of expiry or the extended date of expiry of this guarantee, all our liability under this guarantee shall stand discharged.
Signed and sealed Dated the

ANNEXURE XI FINANCIAL BID (Part II of the Tender)

Civil Modification work Including Buyback for New Medical Centre at Homi Bhabha Centre for Science Education - TIFR, Mankhurd, Mumbai – 400088

(TENDER NO: HBC/PUR/PUBLIC TENDER 32/2025-26)

Sl. No.	Description of Items	Unit	Qty	Rate	Amount
1	Removing existing Asbestos Cement / Galvalume corrugated sheets from roof, excluding supporting structure but including scaffolding, handling, transporting, sorting and stacking of serviceable material and disposal of unserviceable material as per direction of Engineer-incharge (EIC).	Sqm.	55.00		
2	Dismantling steel work in built up sections in angles, tees, flats and channels of rolling shutters, grills, gates, fencing, hoardings, including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50metres lead.	Kgs.	1,050.00		
3	Demolishing cement concrete <i>design jali</i> manually/ by mechanical means including disposal of material as per direction of EIC.	Cum.	5.50		
4	Demolishing stone rubble masonry with tiles manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material as per direction of Engineer-in-charge (EIC).	Cum.	20.00		
5	Demolishing brick work with tiles, in lime or cement mortar including plaster, paint, etc. manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material as per direction of Engineer-in-charge.	Cum.	3.75		
6	Removing of Kotah flooring including bedding removal, or any flooring laid on ground mechanically or manually and stacking serviceable material within a lead of 50m and carting away unserviceable materials/ debris etc. as directed by Engineer-In-Charge. Complete.	Sqm.	35.00		
7	Breaking and removal of wall tiles including cleaning the surface for new tile fixing, at any heights with all scaffolding, tools, equipment required with site cleaning and debris disposal etc. Complete as per the instructions and directions of Engineer-In-Charge.	Sqm.	20.00		
8	Roofing Shed work: Drawing, Providing, Fabricating and Erecting Mild Steel work in Roof Shed:				
a	Providing, detailing, fabricating and fixing at desired location using hot rolled sections and MS Plates of grade Fe 250 as per specifications and approved fabrication drawings (which are to be prepared by Contractor and got approved from EIC), transporting to site and erecting structural steel members for all heights & at all levels including provision of necessary erection bolts, fixing bolts, nuts, washers, cleats, stiffeners, gussets, base plate, and all necessary fixtures and operations like preheating as per specifications, straightening, bending, cutting, drilling,	MT	2.25		

	grinding, machining if specified, welding, grinding and removing the welding burr and preparing surface for painting with wire brush cleaning and applying two coats of epoxy red oxide zinc phosphate primer of 30 microns each and two coats of Epoxy Corrosion Resistant Enamel paint of 30 microns after fabrication including touching up with spray painting after erection etc. complete as directed by Engineer In Charge. (The qty. for this item shall be measured for gusset plates, base plates, bolts in M.T.) NOTE: 1. The truss design to be submitted by the				
	contractor, it should comply with the IS specifications and consider the live load, dead load and wind pressure on the structure.				
b	Roofing colour coating HI profile sheet:			5	
i	Providing permanent approved colour coated 150 GSM (0.5 mm thick) Hi-Rib profile sheets and ridge sheet of min. 0.5mm Total Coated Thickness (TCT) galvalume sheet having minimum yield strength of 550 MPa with top coat (of approved colour) of 20 micron and back coating of 10 micron of M/s. TATA, JSW or standard approved equivalent make, and its fixing with self-drilling /self-tenning coroug plotted of size min. 55v 55 mm of M/s.	Sqm.	55.00		
	tapping screws plated of size min. 5.5x 55 mm of M/s. Bosch, Hilti, HP or standard approved equivalent make with life span of at least 10 years including EPDM seal washer etc. complete upto any pitch and surfaces. as directed by EIC.	4			
ii	Providing sandwich PUF (Polyurethane Foam) roof panel having PUF core thickness 100mm, Density 40(+/-2) Kg/m3, Thermal conductivity at 10degree C 0.023W/m·K, Bending strength 4 Kg/cm2, Tensile Strength 3.7 Kg/cm2, Water absorption 0.2% at 100% RH, Fire retardant; sandwiched between permanent Off white colour coated 150 GSM (0.5 mm thick) Hi-Rib profile sheets of min. 0.5mm Total Coated Thickness (TCT) galvalume sheet having minimum yield strength of 550 MPa with top coat of 20 micron and back coating of 10 micron of M/s. TATA, JSW or standard approved equivalent make; and Aluminum foil on internal side. Fixing of the panel with self-drilling /self-tapping screws plated of size min. 5.5x 150 mm of M/s. Bosch, Hilti, HP or standard approved equivalent make with life span of at least 10 years including EPDM seal washer, Galvalume flashing wherever required etc. complete upto any pitch and surfaces. as directed by EIC.	Sqm	60.00		
9	Providing and constructing masonry in Autoclaved Aerated (Cellular) Concrete Block of approved manufacturer confirming to IS 2185 Part III 1984 of size (625x240x225) mm in extra fine jointing mortar of fixoblock of in superstructure including, striking joints, racking out joints watering and scaffolding etc. Complete	Cum.	21.60		
10	Providing, mixing and laying of Reinforced Cement Concrete in lintel/sill beam of at least 100 mm thick with nominal standard reinforcements of approved make throughout the length over existing brick masonry, including the cost of all material, support props, labour, wastage, transport etc. complete. all as per instructions and directions of Engineer-In-Charge.				

a	M20- Nominal Mix 1:1.5:3 (1 cement: 2 coarse sands: 4 graded stone aggregate 20mm nominal size).	Cum.	0.20	
11	Providing and fixing in position steel bar reinforcement of various diameters for RCC piles, caps, footings, foundations, slabs, beams, columns, canopies, staircases, newels, Chajjas, lintels, pardis, copings, fins, arches, etc. as per detailed designs, drawings and schedules, at any heights including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required, etc. complete as directed by EIC. (including cost of binding wire).	MT	0.05	
12	Providing and fixing polished natural stone tiles as specified below of approved quality, pattern and colour for sill and jambs including preparing the surface and levelling in the desired line, cement mortar 1:3 bedding or backing, cement float, machine cutting, nosing, molding the sharp edges wherever necessary, leveling, jointing, smooth cement plastering, curing along the sides to match the existing surface in cement mortar 1:3, filling the joints with neat cement or pigment mixed with cement, finishing, curing etc. complete as directed by Engineer In Charge [Using cement slurry at back side of stone @ 4.4 kg/Sqm & white cement slurry for joint filling @ 1.8 kg/Sqm]			
a	18mm thk. Green marble for width up to 300 mm	Rmt.	12.00	
13	Providing and laying 600mm x 600mm x 8mm thk. vitrified tiles conforming to I.S.15622-2006 with water absorption less than 0.08% for flooring of EIC approved, colour, finishing, quality, make, colour and pattern /design for flooring including cement mortar bedding of 25 mm thick in 1:4 proportion, cutting, leveling, jointing, filling the joints by neat cement slurry or approved colour grout, curing, finishing etc. complete as directed by Engineer In Charge.	Sqm.	40.00	
14	Providing and fixing 600mm X 600mm X 6mm thk. glazed ceramic tiles as specified below conforming to I.S. 15622-2006 of EIC approved quality, pattern and colour for dado in the dry area including preparing the surface and levelling in the desired line, backing of 20 thk. cement mortar in proportion 1:3, square cut top edge or chamfered top edge in cement mortar 1:3, cement float, machine cutting, leveling, jointing, filling the joints with neat cement slurry or approved colour grout, finishing, curing etc. complete as directed by Engineer in Charge.	Sqm.	48.00	
15	Providing Cement plaster for internal walls, ceilings and other workable surfaces with 12-15 mm thick in CM 1:4 (1 cement: 4 fine sand) after surface preparation including cleaning, hacking of base R.C.C. surfaces, application of cement slurry all around, for all heights including scaffolding/staging, and providing GI plaster chicken mesh of 20 gauge stretched tight at all RCC/ PCC and masonry joints in 150mm wide strips on each surface; fixed with G.I. "U" type nails before plastering. All including tools, accessories, labour, wastage, finishing, curing, site cleaning etc. Complete as per instructions and directions of Engineer-In-Charge			

	NOTE: 1. Silpoze Sand is permitted based on meeting the acceptance criteria. (Rates will be inclusive of all charges/royalties against sand to be paid.) 2. Some areas of plaster can be in patchwork of area less than or equal to 1 sqm. 3. Breaking of old plaster will be paid separately	Sqm.	96.00	
16	Providing external cement plaster with waterproofing using waterproofing compound of M/s. Sunanda, Krishna Conchem, Pedilite for external walls, 25mm thick plaster with 1:3 (1 Cement: 3 fine sand), after surface preparation including cleaning, hacking of base surfaces, application of cement slurry all around and on joints between old and new plaster, for all heights including scaffolding/staging. All including tools, accessories, labour, wastage, finishing, curing, etc. Complete as per instructions and directions of Engineer-In-Charge NOTE: Sand is permitted based on meeting the acceptance criteria of the centre. (Rates will be inclusive of all charges/			
	royalties against sand to be paid.) NOTE: 1. Sand is permitted based on meeting the acceptance criteria. (Rates will be inclusive of all charges/royalties against sand to be paid.) 3. Breaking of old plaster will be paid separately	Sqm.	100.00	
17	Providing and fixing Modular false ceiling of 600 x 600 mm center to center and 13 mm thick square mineral fiber board of M/s. Armstrong, Gyproc make to be fixed on frame work of aluminium sections for suspended false ceiling consisting of aluminium T 2"x1 ½" (50 mm x 40 mm) weighing 0.39 Kilogram/m at 60 cms center and fixed with ½" x ½" (15 x 15 mm) flanges weighing 0.19 Kilogram/m suspended on 6 mm dia Galvanized Iron rod with heavy duty butterfly clips for adjustments, fixed on wall and beams including rounding of the edges with aluminium T of 2" x 1 ½" (50 mm x 40 mm) weighing 0.39	Sqm.	40.00	
10	Kilogram/m etc. (all aluminium sections shall be anodized) including all labour, material, wastages, lifts etc. complete.		2.00	
18	Providing and fixing solid core flush door shutter in single leaf 32 mm thick decorative type of exterior grade as per detailed drawings approved face veneers 3 mm thick on both faces and sides or as directed, all necessary beads, moldings and lipping, wrought iron hold fasts, chromium plated fixtures and fastenings, with brass mortise lock, chromium plated handles on both sides, and finishing with French Polish etc. complete.	Sqm.	3.00	
19	Providing wood work in frames of doors, windows and other frames, wrought, framed using well-seasoned 1st class teak wood and fixed in position including painting the portion in contact with masonry/RCC with two or more coats of Anti-termite treatment paint and fixing the frames with suitable heavy duty 6 nos. GI holdfast duly embedded in wall/R.C.C. surfaces wherever required including removal of existing damaged door/ window frame and its disposal outside campus etc. complete as per site condition/requirement and approval of Engineer-in-Charge. The rate quoted should be for complete work and nothing extra will be paid for any minor variation required to complete the work. For Profile size of 100 x 50 mm	Rmt.	6.00	

20	Providing and fixing in position (as per 1868 / 1982) Aluminium sliding window of three tracks with rectangular pipe 95 x 38.10 x 0.90 mm at weight 0.637 Kilogram/Running Meter. with window frame bottom track section 92 x 31.75 x 1.30 mm at weight 1.070 Kilogram/Running Meter. Top and sidetrack section 92 x 31.75 x 1.30 mm at weight 0.933 Kilogram/Running meter. The shutter should be bearing bottom 40 x 18 x 1.25 mm at weight 0.417 Kilogram/Running Meter. Interlocking section 40 x 18 x 1.10 mm at weight 0.469 Kilogram/Running meter. and handle and top section 40 x 18 x 1.25 mm at weight 0.417 Kilogram/Running meter. As per detailed drawings and as directed by Engineer in charge with all necessary Aluminium sections fixtures and fastenings such as roller bearing in nylon casting and self-locking catch fitted in vertical section of shutter including 5 mm thick one-way visible tinted glass and aluminium mosquito net shutter with stainless steel jali with all required screws and nuts etc., complete. With colour Anodizing without box (NOTE: Anodic film must not be less than 15 microns i.e. AC-15 as per IS, the anodizing must be escalated by keeping the anodized section in boiling de-anodized water for a period of one hour)	Sqm.	5.00		
21	Providing and fixing factory made Fiberglass Reinforced plastics (F.R.P.) chajjah 4 mm thick (approx. size = 1.5m X 0.8m) of required colour, size and design made by Resin	Sqm.	4.00		
	Transfer Moulding (RTM) Machine Technology, resulting	-			1310
17	in void free compact laminate in single piece, having				
	smooth gradual slope curvature for easy drainage of water				
4	and duly reinforced by 2 no vertically and 1 no horizontally				
	50x2 mm thick M.S. flat with 12 mm in built hole for				
	grouting on the existing wall along with the 50 mm flanges				
	duly inserted and sealed in the wall complete in one single				
	piece casted monolithically, including all necessary				
	fittings. The FRP Chajjah should be manufactured using				ALT .
	unsaturated Polyester resin as per IS: 6746, duly reinforced				100
1	with fiber glass chopped strand mat (CSM) as per IS: 11551				
	complete with protective Gel coat U/V coating on Top for				////
	complete resistance from the extreme of temperature,				
	weather & sunlight complete as per instructions and				
	directions of Engineer-In-Charge.				9
	NOTE: Only plan area of Chajjah shall be measured for				
	making payment.			100	
22	Providing and applying Two coats of wall care Putty of	Sqm.	50.00		
	standard approved make on plastered surface and Ceiling				
	and Walls upto any heights to prepare surface in line &		1		
	level and smooth by scrapping, etc. complete.				
23	Providing and painting the internal plastered surfaces	Sqm.	50.00		
23	(walls /ceiling) with two or more coats of Premium Acrylic	Sqiii.	50.00		
	Emulsion Paint having VOC (Volatile Organic Compound				
) content less than 50 grams/ litre of approved colour, finish				
	and make by EIC, over a coat of interior wall primer having				
	VOC (Volatile Organic Compound) content less than 50				
	grams/ litre of same approved make; including preparing				
	the surfaces, filling of cracks with standard approved crack				
	fillers, application of wall care putty wherever required,				
	scaffolding at any heights, double height staging, cleaning				
	etc., at all floors, locations, heights and lead etc. Complete.				
	All as per instructions and directions of Engineer-in-				
	charge.				
	Page 42 of 44		Seal a	nd Signature	e of the Bidder

24	Providing and applying two coats Apex Ultima Puranature Anti-Pollution Or standard equivalent approved brand, paint should decompose organic substances and inorganic gases (NOx, VOC's, CO, SOx, formaldehydes, etc.) in presence of natural or artificial light. It contains Graphene and nanoparticles of titanium oxide. and Absorbs CO2 (4.8 Kilogram/15 1). plaster crack should be filled by acrylic base Crack seal/Textured Crack filler, Paint has to applied on one coat of Apex Ultima Puranature Anti-Pollution Primer or Equivalent. Warranty Should be given by the Manufacturer The work should be done by the Manufacturer Recommended applicator and he should be able to furnish stage wise onsite technical reports from the concerned company technologist. Providing and fixing 16 gauge anodized (anodic film must	Sqm.	120.00		
	not be less than 15 microns as per IS, the anodizing must be escalated by keeping the anodized section in boiling deanodized water for a period of one hour) aluminum fixed/sliding/pivoted/top hung/side hung doors and partitions conforming to IS:1948, 1961 with hollow bottom section & standard section all around (top, bottom and sides) with shutter frame made up of standard handle section and standard top and bottom section with infill panel of plain/frosted glass/ Novapan sheet / acrylic sheet / hardener laminated sheet as listed below with nylon guides, gliders glass fixing PVC weather strips, neoprene gasket, PVC weep holes, etc. complete with approved type of locking arrangement, handles and other fixtures such as door closer, locks, hinges including fixing, filling the gaps with silicon sealant, cleaning polishing the aluminium section as specified by the manufacturers etc. complete as directed by Engineer In Charge.				
A	Aluminum section used (anodized transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	Kgs.	150.00		
В	4 mm thick Hardener Laminated sheet (Bakelite composite panel)	Sqm.	25.00	- 1	
С	Providing and fixing float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm) for vision panel in aluminium door with wooden molding on side and EPDM rubber / neoprene gasket packing etc. complete as per the directions of EIC.	Sqm.	2.00		
26	Providing and fixing Vitrified China wall hung white wash basin of size 43D x 34.5W x 13H centimeters with pillar cock having flow rate up to 6.0 Litr/Minute, C.P. Angular stop cock long thread of Jaquar/ Cera/ Hindware/ Perryware or equivalent make, including SS bottle trap of approved make including all water outlet arrangements etc. as directed by Engineer in charge. Complete.	Nos.	1.00		
	Total (Sr. No. 1 to 26)	Rs.			
	Add: GST 18%	Rs.			
	A = Total (Including GST) Rs.	Rs.		<u> </u>	I

27	Buyback: Loading and taking out the non-serviceable material described as follows for disposal in scrap, including labour transport etc. complete.				
A	Mild Steel	Kgs.	850.00	(-)	(-)
b	Galvanized Iron roofing sheets	Kgs.	40.00	(-)	(-)
	B = Total (Sr. No. 27)	Rs.			(-)
	Grand Total (A + B)	Rs.			

Amount in Words: Rupees	

